

## Prohromske pravougane i kvadratne cevi



Navedene cevi od nerdjajućeg čelika isporučujemo sa lagera i po porudžbi. Dostupan materijal sa lagera je 304L ( JUS Č.4580 ) dimenzije od 20 do 100 mm veće dimenzije a po pregledu ispod. Možemo isporučiti po porudžbi i ostale dimenzije u skladu sa katalogom. Površine matirane, brušene ili polirane a po zahtevu korisnika.

CODE	DIMENZIJA MM	DUŽINA MM	TEŽINA TEORETSKA KG/M	MATERIJAL
TR-4307-20-10-1	20-10-1	6000, -0/+50	0,453	4307-304L
TR-4307-20-10-1.2	20-10-1.2	6000, -0/+50	0,538	4307-304L
TR-4307-20-10-1.5	20-10-1.5	6000, -0/+50	0,661	4307-304L
TR-4307-20-15-1.5	20-15-1.5	6000, -0/+50	0,781	4307-304L
TR-4307-20-15-2	20-15-2	6000, -0/+50	1,016	4307-304L
TR-4307-25-10-1	25-10-1	6000, -0/+50	0,533	4307-304L
TR-4307-25-10-1.5	25-10-1.5	6000, -0/+50	0,781	4307-304L
TR-4307-25-15-1	25-15-1	6000, -0/+50	0,613	4307-304L
TR-4307-25-15-1.2	25-15-1.2	6000, -0/+50	0,729	4307-304L
TR-4307-25-15-1.5	25-15-1.5	6000, -0/+50	0,901	4307-304L
TR-4307-25-15-2	25-15-2	6000, -0/+50	1,176	4307-304L
TR-4307-30-10-1	30-10-1	6000, -0/+50	0,613	4307-304L
TR-4307-30-10-1.2	30-10-1.2	6000, -0/+50	0,729	4307-304L
TR-4307-30-10-1.5	30-10-1.5	6000, -0/+50	0,901	4307-304L
TR-4307-30-15-1	30-15-1	6000, -0/+50	0,680	4307-304L
TR-4307-30-15-1.2	30-15-1.2	6000, -0/+50	0,810	4307-304L
TR-4307-30-15-1.5	30-15-1.5	6000, -0/+50	1,000	4307-304L
TR-4307-30-15-2	30-15-2	6000, -0/+50	1,300	4307-304L
TR-4307-30-20-1	30-20-1	6000, -0/+50	0,772	4307-304L
TR-4307-30-20-1.2	30-20-1.2	6000, -0/+50	0,921	4307-304L
TR-4307-30-20-1.5	30-20-1.5	6000, -0/+50	1,140	4307-304L
TR-4307-30-20-2	30-20-2	6000, -0/+50	1,495	4307-304L
TR-4307-35-20-1	35-20-1	6000, -0/+50	0,852	4307-304L
TR-4307-35-20-1.5	35-20-1.5	6000, -0/+50	1,259	4307-304L
TR-4307-35-20-2	35-20-2	6000, -0/+50	1,654	4307-304L
TR-4307-40-10-1.5	40-10-1.5	6000, -0/+50	1,140	4307-304L
TR-4307-40-15-1	40-15-1	6000, -0/+50	0,852	4307-304L
TR-4307-40-15-1.2	40-15-1.2	6000, -0/+50	1,017	4307-304L
TR-4307-40-15-1.5	40-15-1.5	6000, -0/+50	1,259	4307-304L

CODE	DIMENZIJA MM	DUŽINA MM	TEŽINA TEORETSKA KG/M	MATERIJAL
TR-4307-40-15-2	40-15-2	6000, -0/+50	1,654	4307-304L
TR-4307-40-20-1	40-20-1	6000, -0/+50	0,932	4307-304L
TR-4307-40-20-1.2	40-20-1.2	6000, -0/+50	1,112	4307-304L
TR-4307-40-20-1.5	40-20-1.5	6000, -0/+50	1,379	4307-304L
TR-4307-40-20-2	40-20-2	6000, -0/+50	1,814	4307-304L
TR-4307-40-20-3	40-20-3	6000, -0/+50	2,645	4307-304L
TR-4307-40-27-1.5	40-27-1.5	6000, -0/+50	1,547	4307-304L
TR-4307-40-30-1	40-30-1	6000, -0/+50	1,091	4307-304L
TR-4307-40-30-1.2	40-30-1.2	6000, -0/+50	1,304	4307-304L
TR-4307-40-30-1.5	40-30-1.5	6000, -0/+50	1,618	4307-304L
TR-4307-40-30-2	40-30-2	6000, -0/+50	2,133	4307-304L
TR-4307-40-30-3	40-30-3	6000, -0/+50	3,124	4307-304L
TR-4307-50-10-1.5	50-10-1.5	6000, -0/+50	1,379	4307-304L
TR-4307-50-20-1	50-20-1	6000, -0/+50	1,091	4307-304L
TR-4307-50-20-1.2	50-20-1.2	6000, -0/+50	1,304	4307-304L
TR-4307-50-20-1.5	50-20-1.5	6000, -0/+50	1,618	4307-304L
TR-4307-50-20-2	50-20-2	6000, -0/+50	2,133	4307-304L
TR-4307-50-25-1.2	50-25-1.2	6000, -0/+50	1,418	4307-304L
TR-4307-50-25-1.5	50-25-1.5	6000, -0/+50	1,762	4307-304L
TR-4307-50-25-2	50-25-2	6000, -0/+50	2,324	4307-304L
TR-4307-50-25-3	50-25-3	6000, -0/+50	3,411	4307-304L
TR-4307-50-30-1.2	50-30-1.2	6000, -0/+50	1,495	4307-304L
TR-4307-50-30-1.5	50-30-1.5	6000, -0/+50	1,858	4307-304L
TR-4307-50-30-2	50-30-2	6000, -0/+50	2,452	4307-304L
TR-4307-50-30-3	50-30-3	6000, -0/+50	3,602	4307-304L
TR-4307-50-40-2	50-40-2	6000, -0/+50	2,771	4307-304L
TR-4307-50-40-3	50-40-3	6000, -0/+50	4,081	4307-304L
TR-4307-60-20-1.2	60-20-1.2	6000, -0/+50	1,495	4307-304L
TR-4307-60-20-1.5	60-20-1.5	6000, -0/+50	1,858	4307-304L
TR-4307-60-20-2	60-20-2	6000, -0/+50	2,452	4307-304L
TR-4307-60-30-1.2	60-30-1.2	6000, -0/+50	1,686	4307-304L
TR-4307-60-30-1.5	60-30-1.5	6000, -0/+50	2,097	4307-304L
TR-4307-60-30-2	60-30-2	6000, -0/+50	2,771	4307-304L
TR-4307-60-30-3	60-30-3	6000, -0/+50	4,081	4307-304L
TR-4307-60-40-1.5	60-40-1.5	6000, -0/+50	2,336	4307-304L
TR-4307-60-40-2	60-40-2	6000, -0/+50	3,090	4307-304L
TR-4307-60-40-2.5	60-40-2.5	6000, -0/+50	3,831	4307-304L
TR-4307-60-40-3	60-40-3	6000, -0/+50	4,559	4307-304L
TR-4307-60-40-4	60-40-4	6000, -0/+50	5,979	4307-304L
TR-4307-70-20-2	70-20-2	6000, -0/+50	2,771	4307-304L
TR-4307-70-30-1.5	70-30-1.5	6000, -0/+50	2,336	4307-304L
TR-4307-70-40-2	70-40-2	6000, -0/+50	3,409	4307-304L
TR-4307-70-40-3	70-40-3	6000, -0/+50	5,038	4307-304L
TR-4307-80-30-3	80-30-3	6000, -0/+50	5,038	4307-304L
TR-4307-80-40-1.5	80-40-1.5	6000, -0/+50	2,814	4307-304L
TR-4307-80-40-2	80-40-2	6000, -0/+50	3,728	4307-304L
TR-4307-80-40-2.5	80-40-2.5	6000, -0/+50	4,628	4307-304L
TR-4307-80-40-3	80-40-3	6000, -0/+50	5,516	4307-304L
TR-4307-80-40-4	80-40-4	6000, -0/+50	7,255	4307-304L
TR-4307-80-40-5	80-40-5	6000, -0/+50	8,943	4307-304L
TR-4307-80-50-3	80-50-3	6000, -0/+50	5,995	4307-304L
TR-4307-80-60-2	80-60-2	6000, -0/+50	4,366	4307-304L

CODE	DIMENZIJA MM	DUŽINA MM	TEŽINA TEORETSKA KG/M	MATERIJAL
TR-4307-80-60-3	80-60-3	6000, -0/+50	6,473	4307-304L
TR-4307-80-60-4	80-60-4	6000, -0/+50	8,531	4307-304L
TR-4307-100-40-1.5	100-40-1.5	6000, -0/+50	3,293	4307-304L
TR-4307-100-40-2	100-40-2	6000, -0/+50	4,366	4307-304L
TR-4307-100-40-3	100-40-3	6000, -0/+50	6,473	4307-304L
TR-4307-100-40-4	100-40-4	6000, -0/+50	8,531	4307-304L
TR-4307-100-50-2	100-50-2	6000, -0/+50	4,685	4307-304L
TR-4307-100-50-3	100-50-3	6000, -0/+50	6,952	4307-304L
TR-4307-100-50-4	100-50-4	6000, -0/+50	9,169	4307-304L
TR-4307-100-50-5	100-50-5	6000, -0/+50	11,336	4307-304L
TR-4307-100-60-2	100-60-2	6000, -0/+50	5,004	4307-304L
TR-4307-100-60-3	100-60-3	6000, -0/+50	7,430	4307-304L
TR-4307-100-60-4	100-60-4	6000, -0/+50	9,807	4307-304L
TR-4307-100-60-5	100-60-5	6000, -0/+50	12,133	4307-304L
TR-4307-100-80-2	100-80-2	6000, -0/+50	5,641	4307-304L
TR-4307-100-80-3	100-80-3	6000, -0/+50	8,387	4307-304L
TR-4307-100-80-4	100-80-4	6000, -0/+50	11,083	4307-304L
TR-4307-120-40-2	120-40-2	6000, -0/+50	5,004	4307-304L
TR-4307-120-40-3	120-40-3	6000, -0/+50	7,430	4307-304L
TR-4307-120-40-4	120-40-4	6000, -0/+50	9,807	4307-304L
TR-4307-120-60-2	120-60-2	6000, -0/+50	5,641	4307-304L
TR-4307-120-60-3	120-60-3	6000, -0/+50	8,387	4307-304L
TR-4307-120-60-4	120-60-4	6000, -0/+50	11,083	4307-304L
TR-4307-120-60-5	120-60-5	6000, -0/+50	13,728	4307-304L
TR-4307-120-80-2	120-80-2	6000, -0/+50	6,279	4307-304L
TR-4307-120-80-3	120-80-3	6000, -0/+50	9,344	4307-304L
TR-4307-120-80-4	120-80-4	6000, -0/+50	12,359	4307-304L
TR-4307-120-80-5	120-80-5	6000, -0/+50	15,323	4307-304L
TR-4307-150-50-2	150-50-2	6000, -0/+50	6,279	4307-304L
TR-4307-150-50-3	150-50-3	6000, -0/+50	9,344	4307-304L
TR-4307-150-100-3	150-100-3	6000, -0/+50	11,736	4307-304L
TR-4307-150-100-4	150-100-4	6000, -0/+50	15,548	4307-304L
TR-4307-150-100-5	150-100-5	6000, -0/+50	19,310	4307-304L
TR-4307-160-80-3	160-80-3	6000, -0/+50	11,258	4307-304L
TR-4307-160-80-5	160-80-5	6000, -0/+50	18,513	4307-304L
TR-4307-200-100-3	200-100-3	6000, -0/+50	14,129	4307-304L
TR-4307-200-100-4	200-100-4	6000, -0/+50	23,298	4307-304L
TR-4307-200-100-5	200-100-5	6000, -0/+50	18,738	4307-304L

CODE	DIMENZIJA MM	DUŽINA MM	TEŽINA TEORETSKA KG/M	MATERIJAL
TSQ-4307-10-10-1	10-10-1	6000, -0/+50	0,294	4307-304L
TSQ-4307-12.7-12.7-1.2	12.7-12.7-1.2	6000, -0/+50	0,450	4307-304L
TSQ-4307-15-15-1	15-15-1	6000, -0/+50	0,453	4307-304L
TSQ-4307-15-15-1.2	15-15-1.2	6000, -0/+50	0,538	4307-304L
TSQ-4307-15-15-1.5	15-15-1.5	6000, -0/+50	0,661	4307-304L
TSQ-4307-16-16-1	16-16-1	6000, -0/+50	0,485	4307-304L
TSQ-4307-16-16-1.2	16-16-1.2	6000, -0/+50	0,576	4307-304L
TSQ-4307-16-16-1.5	16-16-1.5	6000, -0/+50	0,709	4307-304L
TSQ-4307-20-20-1	20-20-1	6000, -0/+50	0,613	4307-304L
TSQ-4307-20-20-1.2	20-20-1.2	6000, -0/+50	0,729	4307-304L
TSQ-4307-20-20-1.5	20-20-1.5	6000, -0/+50	0,901	4307-304L
TSQ-4307-20-20-2	20-20-2	6000, -0/+50	1,176	4307-304L
TSQ-4307-25-25-1	25-25-1	6000, -0/+50	0,772	4307-304L
TSQ-4307-25-25-1.2	25-25-1.2	6000, -0/+50	0,921	4307-304L
TSQ-4307-25-25-1.5	25-25-1.5	6000, -0/+50	1,140	4307-304L
TSQ-4307-25-25-2	25-25-2	6000, -0/+50	1,495	4307-304L
TSQ-4307-25-25-3	25-25-3	6000, -0/+50	2,167	4307-304L
TSQ-4307-30-30-1	30-30-1	6000, -0/+50	0,932	4307-304L
TSQ-4307-30-30-1.2	30-30-1.2	6000, -0/+50	1,112	4307-304L
TSQ-4307-30-30-1.5	30-30-1.5	6000, -0/+50	1,379	4307-304L
TSQ-4307-30-30-2	30-30-2	6000, -0/+50	1,814	4307-304L
TSQ-4307-30-30-3	30-30-3	6000, -0/+50	2,645	4307-304L
TSQ-4307-35-35-1	35-35-1	6000, -0/+50	1,091	4307-304L
TSQ-4307-35-35-1.2	35-35-1.2	6000, -0/+50	1,304	4307-304L
TSQ-4307-35-35-1.5	35-35-1.5	6000, -0/+50	1,618	4307-304L
TSQ-4307-35-35-2	35-35-2	6000, -0/+50	2,133	4307-304L
TSQ-4307-35-35-3	35-35-3	6000, -0/+50	3,124	4307-304L
TSQ-4307-40-40-1	40-40-1	6000, -0/+50	1,251	4307-304L
TSQ-4307-40-40-1.2	40-40-1.2	6000, -0/+50	1,495	4307-304L
TSQ-4307-40-40-1.5	40-40-1.5	6000, -0/+50	1,858	4307-304L
TSQ-4307-40-40-2	40-40-2	6000, -0/+50	2,452	4307-304L
TSQ-4307-40-40-2.5	40-40-2.5	6000, -0/+50	3,033	4307-304L
TSQ-4307-40-40-3	40-40-3	6000, -0/+50	3,602	4307-304L
TSQ-4307-40-40-4	40-40-4	6000, -0/+50	4,703	4307-304L
TSQ-4307-45-45-1.5	45-45-1.5	6000, -0/+50	2,097	4307-304L
TSQ-4307-45-45-2	45-45-2	6000, -0/+50	2,771	4307-304L
TSQ-4307-50-50-1.5	50-50-1.5	6000, -0/+50	2,336	4307-304L
TSQ-4307-50-50-2	50-50-2	6000, -0/+50	3,090	4307-304L
TSQ-4307-50-50-2.5	50-50-2.5	6000, -0/+50	3,831	4307-304L
TSQ-4307-50-50-3	50-50-3	6000, -0/+50	4,559	4307-304L
TSQ-4307-50-50-4	50-50-4	6000, -0/+50	5,979	4307-304L
TSQ-4307-50-50-5	50-50-5	6000, -0/+50	7,349	4307-304L
TSQ-4307-60-60-1.5	60-60-1.5	6000, -0/+50	2,814	4307-304L
TSQ-4307-60-60-2	60-60-2	6000, -0/+50	3,728	4307-304L
TSQ-4307-60-60-2.5	60-60-2.5	6000, -0/+50	4,628	4307-304L
TSQ-4307-60-60-3	60-60-3	6000, -0/+50	5,516	4307-304L
TSQ-4307-60-60-4	60-60-4	6000, -0/+50	7,255	4307-304L
TSQ-4307-60-60-5	60-60-5	6000, -0/+50	8,943	4307-304L
TSQ-4307-70-70-2	70-70-2	6000, -0/+50	4,366	4307-304L
TSQ-4307-70-70-3	70-70-3	6000, -0/+50	6,473	4307-304L
TSQ-4307-70-70-4	70-70-4	6000, -0/+50	8,531	4307-304L
TSQ-4307-80-80-1.5	80-80-1.5	6000, -0/+50	3,771	4307-304L

CODE	DIMENZIJA MM	DUŽINA MM	TEŽINA TEORETSKA KG/M	MATERIJAL
TSQ-4307-80-80-2	80-80-2	6000, -0/+50	5,004	4307-304L
TSQ-4307-80-80-2.5	80-80-2.5	6000, -0/+50	6,223	4307-304L
TSQ-4307-80-80-3	80-80-3	6000, -0/+50	7,430	4307-304L
TSQ-4307-80-80-4	80-80-4	6000, -0/+50	9,807	4307-304L
TSQ-4307-80-80-5	80-80-5	6000, -0/+50	12,133	4307-304L
TSQ-4307-100-100-2	100-100-2	6000, -0/+50	6,279	4307-304L
TSQ-4307-100-100-3	100-100-3	6000, -0/+50	9,344	4307-304L
TSQ-4307-100-100-4	100-100-4	6000, -0/+50	12,359	4307-304L
TSQ-4307-100-100-5	100-100-5	6000, -0/+50	15,323	4307-304L
TSQ-4307-120-120-3	120-120-3	6000, -0/+50	11,258	4307-304L
TSQ-4307-120-120-4	120-120-4	6000, -0/+50	14,910	4307-304L
TSQ-4307-120-120-5	120-120-5	6000, -0/+50	18,513	4307-304L
TSQ-4307-150-150-3	150-150-3	6000, -0/+50	14,129	4307-304L
TSQ-4307-150-150-4	150-150-4	6000, -0/+50	18,738	4307-304L
TSQ-4307-150-150-5	150-150-5	6000, -0/+50	23,298	4307-304L
TSQ-4307-200-200-3	200-200-3	6000, -0/+50	18,913	4307-304L
TSQ-4307-200-200-4	200-200-4	6000, -0/+50	25,118	4307-304L
TSQ-4307-200-200-5	200-200-5	6000, -0/+50	39,247	4307-304L
TSQ-4307-250-250-4	250-250-4	6000, -0/+50	31,497	4307-304L