

## Šavne cevi i bešavne cevi



Šavne cevi od nerđajućeg čelika isporučujemo sa lagera i po porudžbini. Dostupan materijal na lageru je 304L (JUS Č.4580). Cevi na lageru su spoljašnjeg prečnika (Ds) u opsegu 10-168.3mm, a po pregledu ispod. Možemo isporučiti po porudžbini i ostale dimenzije u skladu sa ISO, ANSI I BWG standardom, zavarene TIG, HF ili laser postupkom, žarene i nežarene. Površine matirane, brušene ili polirane, a po zahtevu kupca.

Bešavne cevi od nerđajućeg čelika isporučujemo po porudžbini. Dostupni materijali su 304L, 316L, 316Ti kao i vatrootporni materijal 1.4845 i slično. Dimenzije u skladu sa ISO, ANSI I BWG standardom. Proizvođači su Sandvik AB iz Švedske i Manesmann iz Nemačke.

CODE-ŠAVNE CEVI	DIMENZIJA MM	STANDARD	TEORETSKA TEŽINA KG/M	MATERIJAL
TW-304L/316L-6.0-1.0	6.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,126	304L/316L
TW-304L/316L-6.0-1.2	6.0-1.2	EN 10296-2, ISO 1127 D3/T3	0,145	304L/316L
TW-304L/316L-8.0-1.0	8.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,176	304L/316L
TW-304L/316L-8.0-1.2	8.0-1.2	EN 10296-2, ISO 1127 D3/T3	0,205	304L/316L
TW-304L/316L-10.0-1.0	10.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,226	304L/316L
TW-304L/316L-10.0-1.2	10.0-1.2	EN 10296-2, ISO 1127 D3/T3	0,265	304L/316L
TW-304L/316L-10.0-1.5	10.0-1.5	EN 10296-2, ISO 1127 D3/T3	0,320	304L/316L
TW-304L/316L-10.2-1.0	10.2-1.0	EN 10296-2, ISO 1127 D3/T3	0,231	304L/316L
TW-304L/316L-10.2-1.2	10.2-1.2	EN 10296-2, ISO 1127 D3/T3	0,271	304L/316L
TW-304L/316L-10.2-1.6	10.2-1.6	EN 10217.7, DIN 2463 D4/T3	0,346	304L/316L
TW-304L/316L-10.2-2.0	10.2-2.0	EN 10296-2, ISO 1127 D3/T3	0,412	304L/316L
TW-304L/316L-12.0-1.0	12.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,276	304L/316L
TW-304L/316L-12.0-1.5	12.0-1.5	EN 10296-2, ISO 1127 D3/T3	0,396	304L/316L
TW-304L/316L-12.0-1.6	12.0-1.6	EN 10217.7, DIN 2463 D4/T3	0,418	304L/316L
TW-304L/316L-12.0-2.0	12.0-2.0	EN 10296-2, ISO 1127 D3/T3	0,502	304L/316L
TW-304L/316L-13.5-1.0	13.5-1.0	EN 10296-2, ISO 1127 D3/T3	0,314	304L/316L
TW-304L/316L-13.5-1.2	13.5-1.2	EN 10296-2, ISO 1127 D3/T3	0,371	304L/316L
TW-304L/316L-13.5-1.6	13.5-1.6	EN 10217.7, DIN 2463 D4/T3	0,478	304L/316L
TW-304L/316L-13.5-2.0	13.5-2.0	EN 10296-2, ISO 1127 D3/T3	0,578	304L/316L
TW-304L/316L-13.5-2.3	13.5-2.3	EN 10217.7, DIN 2463 D4/T3	0,647	304L/316L
TW-304L/316L-13.5-2.9	13.5-2.9	EN 10217.7, DIN 2463 D4/T3	0,772	304L/316L
TW-304L/316L-14.0-1.0	14.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,327	304L/316L
TW-304L/316L-14.0-1.5	14.0-1.5	EN 10296-2, ISO 1127 D3/T3	0,471	304L/316L
TW-304L/316L-14.0-1.6	14.0-1.6	EN 10217.7, DIN 2463 D4/T3	0,498	304L/316L
TW-304L/316L-14.0-2.0	14.0-2.0	EN 10296-2, ISO 1127 D3/T3	0,603	304L/316L
TW-304L/316L-16.0-1.0	16.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,377	304L/316L
TW-304L/316L-16.0-1.2	16.0-1.2	EN 10296-2, ISO 1127 D3/T3	0,446	304L/316L

CODE-ŠAVNE CEVI	DIMENZIJA MM	STANDARD	TEORETSKA TEŽINA KG/M	MATERIJAL
TW-304L/316L-16.0-1.5	16.0-1.5	EN 10296-2, ISO 1127 D3/T3	0,546	304L/316L
TW-304L/316L-16.0-1.6	16.0-1.6	EN 10217.7, DIN 2463 D4/T3	0,579	304L/316L
TW-304L/316L-16.0-2.0	16.0-2.0	EN 10296-2, ISO 1127 D3/T3	0,703	304L/316L
TW-304L/316L-17.2-1.0	17.2-1.0	EN 10296-2, ISO 1127 D3/T3	0,407	304L/316L
TW-304L/316L-17.2-1.6	17.2-1.6	EN 10217.7, DIN 2463 D4/T3	0,627	304L/316L
TW-304L/316L-17.2-2.0	17.2-2.0	EN 10296-2, ISO 1127 D3/T3	0,764	304L/316L
TW-304L/316L-17.2-2.3	17.2-2.3	EN 10217.7, DIN 2463 D4/T3	0,861	304L/316L
TW-304L/316L-17.2-3.2	17.2-3.2	EN 10217.7, DIN 2463 D4/T3	1,125	304L/316L
TW-304L/316L-18.0-1.0	18.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,427	304L/316L
TW-304L/316L-18.0-1.5	18.0-1.5	EN 10296-2, ISO 1127 D3/T3	0,622	304L/316L
TW-304L/316L-18.0-1.6	18.0-1.6	EN 10217.7, DIN 2463 D4/T3	0,659	304L/316L
TW-304L/316L-18.0-2.0	18.0-2.0	EN 10296-2, ISO 1127 D3/T3	0,804	304L/316L
TW-304L/316L-19.0-1.0	19.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,452	304L/316L
TW-304L/316L-19.0-1.2	19.0-1.2	EN 10296-2, ISO 1127 D3/T3	0,537	304L/316L
TW-304L/316L-19.0-1.6	19.0-1.6	EN 10217.7, DIN 2463 D4/T3	0,699	304L/316L
TW-304L/316L-19.0-2.0	19.0-2.0	EN 10296-2, ISO 1127 D3/T3	0,854	304L/316L
TW-304L/316L-20.0-1.0	20.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,477	304L/316L
TW-304L/316L-20.0-1.2	20.0-1.2	EN 10296-2, ISO 1127 D3/T3	0,567	304L/316L
TW-304L/316L-20.0-1.5	20.0-1.5	EN 10296-2, ISO 1127 D3/T3	0,697	304L/316L
TW-304L/316L-20.0-1.6	20.0-1.6	EN 10217.7, DIN 2463 D4/T3	0,740	304L/316L
TW-304L/316L-20.0-2.0	20.0-2.0	EN 10296-2, ISO 1127 D3/T3	0,904	304L/316L
TW-304L/316L-21.3-1.0	21.3-1.0	EN 10296-2, ISO 1127 D3/T3	0,510	304L/316L
TW-304L/316L-21.3-1.5	21.3-1.5	EN 10296-2, ISO 1127 D3/T3	0,746	304L/316L
TW-304L/316L-21.3-1.6	21.3-1.6	EN 10217.7, DIN 2463 D4/T3	0,792	304L/316L
TW-304L/316L-21.3-2.0	21.3-2.0	EN 10296-2, ISO 1127 D3/T3	0,970	304L/316L
TW-304L/316L-21.3-2.6	21.3-2.6	EN 10217.7, DIN 2463 D4/T3	1,221	304L/316L
TW-304L/316L-21.3-3.0	21.3-3.0	EN 10296-2, ISO 1127 D3/T3	1,379	304L/316L
TW-304L/316L-21.3-3.2	21.3-3.2	EN 10217.7, DIN 2463 D4/T3	1,455	304L/316L
TW-304L/316L-21.3-4.0	21.3-4.0	EN 10217.7, DIN 2463 D4/T3	1,738	304L/316L
TW-304L/316L-22.0-1.0	22.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,528	304L/316L
TW-304L/316L-22.0-1.5	22.0-1.5	EN 10296-2, ISO 1127 D3/T3	0,772	304L/316L
TW-304L/316L-22.0-2.0	22.0-2.0	EN 10296-2, ISO 1127 D3/T3	1,005	304L/316L
TW-304L/316L-25.0-1.0	25.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,603	304L/316L
TW-304L/316L-25.0-1.2	25.0-1.2	EN 10296-2, ISO 1127 D3/T3	0,717	304L/316L
TW-304L/316L-25.0-1.5	25.0-1.5	EN 10296-2, ISO 1127 D3/T3	0,885	304L/316L
TW-304L/316L-25.0-1.6	25.0-1.6	EN 10217.7, DIN 2463 D4/T3	0,940	304L/316L
TW-304L/316L-25.0-2.0	25.0-2.0	EN 10296-2, ISO 1127 D3/T3	1,156	304L/316L
TW-304L/316L-25.0-2.6	25.0-2.6	EN 10217.7, DIN 2463 D4/T3	1,463	304L/316L
TW-304L/316L-25.4-1.2	25.4-1.2	EN 10296-2, ISO 1127 D3/T3	0,729	304L/316L
TW-304L/316L-25.4-1.6	25.4-1.6	EN 10217.7, DIN 2463 D4/T3	0,957	304L/316L
TW-304L/316L-25.4-2.0	25.4-2.0	EN 10296-2, ISO 1127 D3/T3	1,176	304L/316L
TW-304L/316L-25.4-2.6	25.4-2.6	EN 10217.7, DIN 2463 D4/T3	1,489	304L/316L
TW-304L/316L-26.9-1.0	26.9-1.0	EN 10296-2, ISO 1127 D3/T3	0,651	304L/316L
TW-304L/316L-26.9-1.5	26.9-1.5	EN 10296-2, ISO 1127 D3/T3	0,957	304L/316L
TW-304L/316L-26.9-1.6	26.9-1.6	EN 10217.7, DIN 2463 D4/T3	1,017	304L/316L
TW-304L/316L-26.9-2.0	26.9-2.0	EN 10296-2, ISO 1127 D3/T3	1,251	304L/316L
TW-304L/316L-26.9-2.6	26.9-2.6	EN 10217.7, DIN 2463 D4/T3	1,587	304L/316L
TW-304L/316L-26.9-2.9	26.9-2.9	EN 10217.7, DIN 2463 D4/T3	1,748	304L/316L
TW-304L/316L-26.9-3.0	26.9-3.0	EN 10296-2, ISO 1127 D3/T3	1,801	304L/316L
TW-304L/316L-26.9-3.2	26.9-3.2	EN 10217.7, DIN 2463 D4/T3	1,905	304L/316L
TW-304L/316L-26.9-4.0	26.9-4.0	EN 10217.7, DIN 2463 D4/T3	2,301	304L/316L
TW-304L/316L-30.0-1.5	30.0-1.5	EN 10296-2, ISO 1127 D3/T3	1,074	304L/316L

CODE-ŠAVNE CEVI	DIMENZIJA MM	STANDARD	TEORETSKA TEŽINA KG/M	MATERIJAL
TW-304L/316L-30.0-1.6	30.0-1.6	EN 10217.7, DIN 2463 D4/T3	1,141	304L/316L
TW-304L/316L-30.0-2.0	30.0-2.0	EN 10296-2, ISO 1127 D3/T3	1,407	304L/316L
TW-304L/316L-30.0-2.6	30.0-2.6	EN 10217.7, DIN 2463 D4/T3	1,790	304L/316L
TW-304L/316L-31.8-1.2	31.8-1.2	EN 10296-2, ISO 1127 D3/T3	0,922	304L/316L
TW-304L/316L-31.8-1.6	31.8-1.6	EN 10217.7, DIN 2463 D4/T3	1,214	304L/316L
TW-304L/316L-31.8-2.0	31.8-2.0	EN 10296-2, ISO 1127 D3/T3	1,497	304L/316L
TW-304L/316L-31.8-2.6	31.8-2.6	EN 10217.7, DIN 2463 D4/T3	1,907	304L/316L
TW-304L/316L-31.8-3.2	31.8-3.2	EN 10217.7, DIN 2463 D4/T3	2,299	304L/316L
TW-304L/316L-31.8-4.0	31.8-4.0	EN 10217.7, DIN 2463 D4/T3	2,793	304L/316L
TW-304L/316L-32.0-1.2	32.0-1.2	EN 10296-2, ISO 1127 D3/T3	0,928	304L/316L
TW-304L/316L-32.0-1.5	32.0-1.5	EN 10296-2, ISO 1127 D3/T3	1,149	304L/316L
TW-304L/316L-32.0-2.0	32.0-2.0	EN 10296-2, ISO 1127 D3/T3	1,507	304L/316L
TW-304L/316L-33.7-1.0	33.7-1.0	EN 10296-2, ISO 1127 D3/T3	0,821	304L/316L
TW-304L/316L-33.7-1.2	33.7-1.2	EN 10296-2, ISO 1127 D3/T3	0,980	304L/316L
TW-304L/316L-33.7-1.5	33.7-1.5	EN 10296-2, ISO 1127 D3/T3	1,213	304L/316L
TW-304L/316L-33.7-1.6	33.7-1.6	EN 10217.7, DIN 2463 D4/T3	1,290	304L/316L
TW-304L/316L-33.7-2.0	33.7-2.0	EN 10296-2, ISO 1127 D3/T3	1,593	304L/316L
TW-304L/316L-33.7-2.3	33.7-2.3	EN 10217.7, DIN 2463 D4/T3	1,814	304L/316L
TW-304L/316L-33.7-2.6	33.7-2.6	EN 10217.7, DIN 2463 D4/T3	2,031	304L/316L
TW-304L/316L-33.7-2.9	33.7-2.9	EN 10217.7, DIN 2463 D4/T3	2,244	304L/316L
TW-304L/316L-33.7-3.0	33.7-3.0	EN 10296-2, ISO 1127 D3/T3	2,314	304L/316L
TW-304L/316L-33.7-3.2	33.7-3.2	EN 10217.7, DIN 2463 D4/T3	2,452	304L/316L
TW-304L/316L-33.7-4.5	33.7-4.5	EN 10217.7, DIN 2463 D4/T3	3,301	304L/316L
TW-304L/316L-35.0-1.2	35.0-1.2	EN 10296-2, ISO 1127 D3/T3	1,019	304L/316L
TW-304L/316L-35.0-1.5	35.0-1.5	EN 10296-2, ISO 1127 D3/T3	1,262	304L/316L
TW-304L/316L-35.0-2.0	35.0-2.0	EN 10296-2, ISO 1127 D3/T3	1,658	304L/316L
TW-304L/316L-38.0-1.2	38.0-1.2	EN 10296-2, ISO 1127 D3/T3	1,109	304L/316L
TW-304L/316L-38.0-1.5	38.0-1.5	EN 10296-2, ISO 1127 D3/T3	1,375	304L/316L
TW-304L/316L-38.0-1.6	38.0-1.6	EN 10217.7, DIN 2463 D4/T3	1,463	304L/316L
TW-304L/316L-38.0-2.0	38.0-2.0	EN 10296-2, ISO 1127 D3/T3	1,809	304L/316L
TW-304L/316L-38.0-2.6	38.0-2.6	EN 10217.7, DIN 2463 D4/T3	2,312	304L/316L
TW-304L/316L-38.0-3.2	38.0-3.2	EN 10217.7, DIN 2463 D4/T3	2,797	304L/316L
TW-304L/316L-40.0-1.0	40.0-1.0	EN 10296-2, ISO 1127 D3/T3	0,980	304L/316L
TW-304L/316L-40.0-1.2	40.0-1.2	EN 10296-2, ISO 1127 D3/T3	1,170	304L/316L
TW-304L/316L-40.0-1.5	40.0-1.5	EN 10296-2, ISO 1127 D3/T3	1,451	304L/316L
TW-304L/316L-40.0-1.6	40.0-1.6	EN 10217.7, DIN 2463 D4/T3	1,543	304L/316L
TW-304L/316L-40.0-2.0	40.0-2.0	EN 10296-2, ISO 1127 D3/T3	1,909	304L/316L
TW-304L/316L-40.0-2.6	40.0-2.6	EN 10217.7, DIN 2463 D4/T3	2,443	304L/316L
TW-304L/316L-42.4-1.5	42.4-1.5	EN 10296-2, ISO 1127 D3/T3	1,541	304L/316L
TW-304L/316L-42.4-1.6	42.4-1.6	EN 10217.7, DIN 2463 D4/T3	1,640	304L/316L
TW-304L/316L-42.4-2.0	42.4-2.0	EN 10296-2, ISO 1127 D3/T3	2,030	304L/316L
TW-304L/316L-42.4-2.6	42.4-2.6	EN 10217.7, DIN 2463 D4/T3	2,599	304L/316L
TW-304L/316L-42.4-3.0	42.4-3.0	EN 10296-2, ISO 1127 D3/T3	2,969	304L/316L
TW-304L/316L-42.4-3.2	42.4-3.2	EN 10217.7, DIN 2463 D4/T3	3,151	304L/316L
TW-304L/316L-42.4-3.6	42.4-3.6	EN 10217.7, DIN 2463 D4/T3	3,509	304L/316L
TW-304L/316L-42.4-5.0	42.4-5.0	EN 10217.7, DIN 2463 D4/T3	4,697	304L/316L
TW-304L/316L-44.5-2.0	44.5-2.0	EN 10296-2, ISO 1127 D3/T3	2,135	304L/316L
TW-304L/316L-44.5-2.6	44.5-2.6	EN 10217.7, DIN 2463 D4/T3	2,737	304L/316L
TW-304L/316L-44.5-2.9	44.5-2.9	EN 10217.7, DIN 2463 D4/T3	3,030	304L/316L
TW-304L/316L-48.3-1.5	48.3-1.5	EN 10296-2, ISO 1127 D3/T3	1,763	304L/316L
TW-304L/316L-48.3-1.6	48.3-1.6	EN 10217.7, DIN 2463 D4/T3	1,877	304L/316L
TW-304L/316L-48.3-2.0	48.3-2.0	EN 10296-2, ISO 1127 D3/T3	2,326	304L/316L

CODE-ŠAVNE CEVI	DIMENZIJA MM	STANDARD	TEORETSKA TEŽINA KG/M	MATERIJAL
TW-304L/316L-48.3-2.3	48.3-2.3	EN 10217.7, DIN 2463 D4/T3	2,658	304L/316L
TW-304L/316L-48.3-2.6	48.3-2.6	EN 10217.7, DIN 2463 D4/T3	2,985	304L/316L
TW-304L/316L-48.3-3.2	48.3-3.2	EN 10217.7, DIN 2463 D4/T3	3,625	304L/316L
TW-304L/316L-48.3-3.6	48.3-3.6	EN 10217.7, DIN 2463 D4/T3	4,042	304L/316L
TW-304L/316L-48.3-5.0	48.3-5.0	EN 10217.7, DIN 2463 D4/T3	5,438	304L/316L
TW-304L/316L-50.0-1.5	50.0-1.5	EN 10296-2, ISO 1127 D3/T3	1,827	304L/316L
TW-304L/316L-51.0-1.0	51.0-1.0	EN 10296-2, ISO 1127 D3/T3	1,256	304L/316L
TW-304L/316L-51.0-1.2	51.0-1.2	EN 10296-2, ISO 1127 D3/T3	1,501	304L/316L
TW-304L/316L-51.0-1.5	51.0-1.5	EN 10296-2, ISO 1127 D3/T3	1,865	304L/316L
TW-304L/316L-51.0-1.6	51.0-1.6	EN 10217.7, DIN 2463 D4/T3	1,985	304L/316L
TW-304L/316L-51.0-2.0	51.0-2.0	EN 10296-2, ISO 1127 D3/T3	2,462	304L/316L
TW-304L/316L-51.0-2.6	51.0-2.6	EN 10217.7, DIN 2463 D4/T3	3,161	304L/316L
TW-304L/316L-51.0-3.2	51.0-3.2	EN 10217.7, DIN 2463 D4/T3	3,842	304L/316L
TW-304L/316L-54.0-1.6	54.0-1.6	EN 10217.7, DIN 2463 D4/T3	2,106	304L/316L
TW-304L/316L-54.0-2.0	54.0-2.0	EN 10296-2, ISO 1127 D3/T3	2,612	304L/316L
TW-304L/316L-54.0-2.6	54.0-2.6	EN 10217.7, DIN 2463 D4/T3	3,357	304L/316L
TW-304L/316L-57.0-1.6	57.0-1.6	EN 10217.7, DIN 2463 D4/T3	2,227	304L/316L
TW-304L/316L-57.0-2.0	57.0-2.0	EN 10296-2, ISO 1127 D3/T3	2,763	304L/316L
TW-304L/316L-57.0-2.6	57.0-2.6	EN 10217.7, DIN 2463 D4/T3	3,553	304L/316L
TW-304L/316L-57.0-2.9	57.0-2.9	EN 10217.7, DIN 2463 D4/T3	3,941	304L/316L
TW-304L/316L-60.3-1.5	60.3-1.5	EN 10296-2, ISO 1127 D3/T3	2,216	304L/316L
TW-304L/316L-60.3-1.6	60.3-1.6	EN 10217.7, DIN 2463 D4/T3	2,359	304L/316L
TW-304L/316L-60.3-2.0	60.3-2.0	EN 10296-2, ISO 1127 D3/T3	2,929	304L/316L
TW-304L/316L-60.3-2.3	60.3-2.3	EN 10217.7, DIN 2463 D4/T3	3,351	304L/316L
TW-304L/316L-60.3-2.6	60.3-2.6	EN 10217.7, DIN 2463 D4/T3	3,769	304L/316L
TW-304L/316L-60.3-2.9	60.3-2.9	EN 10217.7, DIN 2463 D4/T3	4,181	304L/316L
TW-304L/316L-60.3-3.0	60.3-3.0	EN 10296-2, ISO 1127 D3/T3	4,318	304L/316L
TW-304L/316L-60.3-3.2	60.3-3.2	EN 10217.7, DIN 2463 D4/T3	4,590	304L/316L
TW-304L/316L-60.3-3.6	60.3-3.6	EN 10217.7, DIN 2463 D4/T3	5,127	304L/316L
TW-304L/316L-60.3-4.0	60.3-4.0	EN 10217.7, DIN 2463 D4/T3	5,657	304L/316L
TW-304L/316L-60.3-5.6	60.3-5.6	EN 10217.7, DIN 2463 D4/T3	7,695	304L/316L
TW-304L/316L-63.5-1.5	63.5-1.5	EN 10296-2, ISO 1127 D3/T3	2,336	304L/316L
TW-304L/316L-63.5-1.6	63.5-1.6	EN 10217.7, DIN 2463 D4/T3	2,488	304L/316L
TW-304L/316L-63.5-2.0	63.5-2.0	EN 10296-2, ISO 1127 D3/T3	3,090	304L/316L
TW-304L/316L-63.5-2.6	63.5-2.6	EN 10217.7, DIN 2463 D4/T3	3,978	304L/316L
TW-304L/316L-63.5-3.2	63.5-3.2	EN 10217.7, DIN 2463 D4/T3	4,847	304L/316L
TW-304L/316L-70.0-1.5	70.0-1.5	EN 10296-2, ISO 1127 D3/T3	2,581	304L/316L
TW-304L/316L-70.0-1.6	70.0-1.6	EN 10217.7, DIN 2463 D4/T3	2,749	304L/316L
TW-304L/316L-70.0-2.0	70.0-2.0	EN 10296-2, ISO 1127 D3/T3	3,416	304L/316L
TW-304L/316L-70.0-2.9	70.0-2.9	EN 10217.7, DIN 2463 D4/T3	4,888	304L/316L
TW-304L/316L-76.1-1.5	76.1-1.5	EN 10296-2, ISO 1127 D3/T3	2,811	304L/316L
TW-304L/316L-76.1-1.6	76.1-1.6	EN 10217.7, DIN 2463 D4/T3	2,994	304L/316L
TW-304L/316L-76.1-2.0	76.1-2.0	EN 10296-2, ISO 1127 D3/T3	3,723	304L/316L
TW-304L/316L-76.1-2.3	76.1-2.3	EN 10217.7, DIN 2463 D4/T3	4,264	304L/316L
TW-304L/316L-76.1-2.6	76.1-2.6	EN 10217.7, DIN 2463 D4/T3	4,800	304L/316L
TW-304L/316L-76.1-2.9	76.1-2.9	EN 10217.7, DIN 2463 D4/T3	5,332	304L/316L
TW-304L/316L-76.1-3.6	76.1-3.6	EN 10217.7, DIN 2463 D4/T3	6,556	304L/316L
TW-304L/316L-76.1-4.0	76.1-4.0	EN 10217.7, DIN 2463 D4/T3	7,245	304L/316L
TW-304L/316L-76.1-5.0	76.1-5.0	EN 10217.7, DIN 2463 D4/T3	8,930	304L/316L
TW-304L/316L-82.5-2.0	82.5-2.0	EN 10296-2, ISO 1127 D3/T3	4,044	304L/316L
TW-304L/316L-82.5-3.2	82.5-3.2	EN 10217.7, DIN 2463 D4/T3	6,374	304L/316L
TW-304L/316L-88.9-1.5	88.9-1.5	EN 10296-2, ISO 1127 D3/T3	3,293	304L/316L

CODE-ŠAVNE CEVI	DIMENZIJA MM	STANDARD	TEORETSKA TEŽINA KG/M	MATERIJAL
TW-304L/316L-88.9-1.6	88.9-1.6	EN 10217.7, DIN 2463 D4/T3	3,509	304L/316L
TW-304L/316L-88.9-2.0	88.9-2.0	EN 10296-2, ISO 1127 D3/T3	4,366	304L/316L
TW-304L/316L-88.9-2.3	88.9-2.3	EN 10217.7, DIN 2463 D4/T3	5,003	304L/316L
TW-304L/316L-88.9-2.6	88.9-2.6	EN 10217.7, DIN 2463 D4/T3	5,636	304L/316L
TW-304L/316L-88.9-2.9	88.9-2.9	EN 10217.7, DIN 2463 D4/T3	6,265	304L/316L
TW-304L/316L-88.9-3.0	88.9-3.0	EN 10296-2, ISO 1127 D3/T3	6,473	304L/316L
TW-304L/316L-88.9-3.2	88.9-3.2	EN 10217.7, DIN 2463 D4/T3	6,889	304L/316L
TW-304L/316L-88.9-3.6	88.9-3.6	EN 10217.7, DIN 2463 D4/T3	7,714	304L/316L
TW-304L/316L-88.9-4.0	88.9-4.0	EN 10217.7, DIN 2463 D4/T3	8,531	304L/316L
TW-304L/316L-88.9-5.6	88.9-5.6	EN 10217.7, DIN 2463 D4/T3	11,718	304L/316L
TW-304L/316L-88.9-8.0	88.9-8.0	EN 10217.7, DIN 2463 D4/T3	16,258	304L/316L
TW-304L/316L-101.6-2.0	101.6-2.0	EN 10296-2, ISO 1127 D3/T3	5,004	304L/316L
TW-304L/316L-101.6-2.9	101.6-2.9	EN 10217.7, DIN 2463 D4/T3	7,190	304L/316L
TW-304L/316L-101.6-4.0	101.6-4.0	EN 10217.7, DIN 2463 D4/T3	9,807	304L/316L
TW-304L/316L-101.6-5.6	101.6-5.6	EN 10217.7, DIN 2463 D4/T3	13,505	304L/316L
TW-304L/316L-101.6-8.0	101.6-8.0	EN 10217.7, DIN 2463 D4/T3	18,810	304L/316L
TW-304L/316L-108.0-2.0	108.0-2.0	EN 10296-2, ISO 1127 D3/T3	5,325	304L/316L
TW-304L/316L-108.0-2.9	108.0-2.9	EN 10217.7, DIN 2463 D4/T3	7,656	304L/316L
TW-304L/316L-108.0-4.0	108.0-4.0	EN 10217.7, DIN 2463 D4/T3	10,450	304L/316L
TW-304L/316L-114.3-1.6	114.3-1.6	EN 10217.7, DIN 2463 D4/T3	4,530	304L/316L
TW-304L/316L-114.3-2.0	114.3-2.0	EN 10296-2, ISO 1127 D3/T3	5,642	304L/316L
TW-304L/316L-114.3-2.6	114.3-2.6	EN 10217.7, DIN 2463 D4/T3	7,295	304L/316L
TW-304L/316L-114.3-2.9	114.3-2.9	EN 10217.7, DIN 2463 D4/T3	8,115	304L/316L
TW-304L/316L-114.3-3.0	114.3-3.0	EN 10296-2, ISO 1127 D3/T3	8,388	304L/316L
TW-304L/316L-114.3-3.6	114.3-3.6	EN 10217.7, DIN 2463 D4/T3	10,011	304L/316L
TW-304L/316L-114.3-4.5	114.3-4.5	EN 10217.7, DIN 2463 D4/T3	12,412	304L/316L
TW-304L/316L-114.3-6.3	114.3-6.3	EN 10217.7, DIN 2463 D4/T3	17,092	304L/316L
TW-304L/316L-114.3-8.8	114.3-8.8	EN 10217.7, DIN 2463 D4/T3	23,321	304L/316L
TW-304L/316L-133.0-2.0	133.0-2.0	EN 10296-2, ISO 1127 D3/T3	6,581	304L/316L
TW-304L/316L-133.0-2.9	133.0-2.9	EN 10217.7, DIN 2463 D4/T3	9,478	304L/316L
TW-304L/316L-133.0-4.0	133.0-4.0	EN 10217.7, DIN 2463 D4/T3	12,962	304L/316L
TW-304L/316L-139.7-1.6	139.7-1.6	EN 10217.7, DIN 2463 D4/T3	5,551	304L/316L
TW-304L/316L-139.7-2.0	139.7-2.0	EN 10296-2, ISO 1127 D3/T3	6,918	304L/316L
TW-304L/316L-139.7-2.6	139.7-2.6	EN 10217.7, DIN 2463 D4/T3	8,954	304L/316L
TW-304L/316L-139.7-2.9	139.7-2.9	EN 10217.7, DIN 2463 D4/T3	9,966	304L/316L
TW-304L/316L-139.7-3.0	139.7-3.0	EN 10296-2, ISO 1127 D3/T3	10,302	304L/316L
TW-304L/316L-139.7-3.2	139.7-3.2	EN 10217.7, DIN 2463 D4/T3	10,972	304L/316L
TW-304L/316L-139.7-4.0	139.7-4.0	EN 10217.7, DIN 2463 D4/T3	13,635	304L/316L
TW-304L/316L-139.7-5.0	139.7-5.0	EN 10217.7, DIN 2463 D4/T3	16,918	304L/316L
TW-304L/316L-139.7-6.3	139.7-6.3	EN 10217.7, DIN 2463 D4/T3	21,111	304L/316L
TW-304L/316L-139.7-10.0	139.7-10.0	EN 10217.7, DIN 2463 D4/T3	32,581	304L/316L
TW-304L/316L-159.0-2.0	159.0-2.0	EN 10296-2, ISO 1127 D3/T3	7,888	304L/316L
TW-304L/316L-159.0-4.0	159.0-4.0	EN 10217.7, DIN 2463 D4/T3	15,574	304L/316L
TW-304L/316L-168.3-1.6	168.3-1.6	EN 10217.7, DIN 2463 D4/T3	6,700	304L/316L
TW-304L/316L-168.3-2.0	168.3-2.0	EN 10296-2, ISO 1127 D3/T3	8,355	304L/316L
TW-304L/316L-168.3-2.6	168.3-2.6	EN 10217.7, DIN 2463 D4/T3	10,822	304L/316L
TW-304L/316L-168.3-2.9	168.3-2.9	EN 10217.7, DIN 2463 D4/T3	12,049	304L/316L
TW-304L/316L-168.3-3.0	168.3-3.0	EN 10296-2, ISO 1127 D3/T3	12,457	304L/316L
TW-304L/316L-168.3-3.2	168.3-3.2	EN 10217.7, DIN 2463 D4/T3	13,271	304L/316L
TW-304L/316L-168.3-3.6	168.3-3.6	EN 10217.7, DIN 2463 D4/T3	14,894	304L/316L
TW-304L/316L-168.3-4.0	168.3-4.0	EN 10217.7, DIN 2463 D4/T3	16,509	304L/316L
TW-304L/316L-168.3-4.5	168.3-4.5	EN 10217.7, DIN 2463 D4/T3	18,516	304L/316L

CODE-ŠAVNE CEVI	DIMENZIJA MM	STANDARD	TEORETSKA TEŽINA KG/M	MATERIJAL
TW-304L/316L-168.3-6.3	168.3-6.3	EN 10217.7, DIN 2463 D4/T3	25,637	304L/316L
TW-304L/316L-168.3-10.0	168.3-10.0	EN 10217.7, DIN 2463 D4/T3	39,765	304L/316L
TW-304L/316L-219.1-2.0	219.1-2.0	EN 10296-2, ISO 1127 D3/T3	10,907	304L/316L
TW-304L/316L-219.1-2.6	219.1-2.6	EN 10217.7, DIN 2463 D4/T3	14,140	304L/316L
TW-304L/316L-219.1-2.9	219.1-2.9	EN 10217.7, DIN 2463 D4/T3	15,750	304L/316L
TW-304L/316L-219.1-3.2	219.1-3.2	EN 10217.7, DIN 2463 D4/T3	17,355	304L/316L
TW-304L/316L-219.1-3.6	219.1-3.6	EN 10217.7, DIN 2463 D4/T3	19,488	304L/316L
TW-304L/316L-219.1-4.0	219.1-4.0	EN 10217.7, DIN 2463 D4/T3	21,613	304L/316L
TW-304L/316L-219.1-5.0	219.1-5.0	EN 10217.7, DIN 2463 D4/T3	26,891	304L/316L
TW-304L/316L-219.1-6.3	219.1-6.3	EN 10217.7, DIN 2463 D4/T3	33,677	304L/316L
TW-304L/316L-219.1-8.0	219.1-8.0	EN 10217.7, DIN 2463 D4/T3	42,423	304L/316L
TW-304L/316L-219.1-12.5	219.1-12.5	EN 10217.7, DIN 2463 D4/T3	64,872	304L/316L
TW-304L/316L-273.0-2.0	273.0-2.0	EN 10296-2, ISO 1127 D3/T3	13,615	304L/316L
TW-304L/316L-273.0-2.6	273.0-2.6	EN 10217.7, DIN 2463 D4/T3	17,660	304L/316L
TW-304L/316L-273.0-2.9	273.0-2.9	EN 10217.7, DIN 2463 D4/T3	19,676	304L/316L
TW-304L/316L-273.0-3.2	273.0-3.2	EN 10217.7, DIN 2463 D4/T3	21,688	304L/316L
TW-304L/316L-273.0-3.6	273.0-3.6	EN 10217.7, DIN 2463 D4/T3	24,362	304L/316L
TW-304L/316L-273.0-4.0	273.0-4.0	EN 10217.7, DIN 2463 D4/T3	27,029	304L/316L
TW-304L/316L-273.0-4.5	273.0-4.5	EN 10217.7, DIN 2463 D4/T3	30,351	304L/316L
TW-304L/316L-273.0-5.0	273.0-5.0	EN 10217.7, DIN 2463 D4/T3	33,661	304L/316L
TW-304L/316L-273.0-6.3	273.0-6.3	EN 10217.7, DIN 2463 D4/T3	42,207	304L/316L
TW-304L/316L-273.0-10.0	273.0-10.0	EN 10217.7, DIN 2463 D4/T3	66,066	304L/316L
TW-304L/316L-273.0-12.5	273.0-12.5	EN 10217.7, DIN 2463 D4/T3	81,797	304L/316L
TW-304L/316L-273.0-14.2	273.0-14.2	EN 10217.7, DIN 2463 D4/T3	92,315	304L/316L
TW-304L/316L-323.9-2.0	323.9-2.0	EN 10296-2, ISO 1127 D3/T3	16,172	304L/316L
TW-304L/316L-323.9-2.6	323.9-2.6	EN 10217.7, DIN 2463 D4/T3	20,985	304L/316L
TW-304L/316L-323.9-2.9	323.9-2.9	EN 10217.7, DIN 2463 D4/T3	23,384	304L/316L
TW-304L/316L-323.9-3.2	323.9-3.2	EN 10217.7, DIN 2463 D4/T3	25,779	304L/316L
TW-304L/316L-323.9-4.0	323.9-4.0	EN 10217.7, DIN 2463 D4/T3	32,144	304L/316L
TW-304L/316L-323.9-4.5	323.9-4.5	EN 10217.7, DIN 2463 D4/T3	36,105	304L/316L
TW-304L/316L-323.9-5.0	323.9-5.0	EN 10217.7, DIN 2463 D4/T3	40,054	304L/316L
TW-304L/316L-323.9-10.0	323.9-10.0	EN 10217.7, DIN 2463 D4/T3	78,852	304L/316L
TW-304L/316L-323.9-12.5	323.9-12.5	EN 10217.7, DIN 2463 D4/T3	97,780	304L/316L
TW-304L/316L-355.6-2.6	355.6-2.6	EN 10217.7, DIN 2463 D4/T3	23,055	304L/316L
TW-304L/316L-355.6-3.2	355.6-3.2	EN 10217.7, DIN 2463 D4/T3	28,327	304L/316L
TW-304L/316L-355.6-4.0	355.6-4.0	EN 10217.7, DIN 2463 D4/T3	35,329	304L/316L
TW-304L/316L-355.6-5.0	355.6-5.0	EN 10217.7, DIN 2463 D4/T3	44,035	304L/316L
TW-304L/316L-355.6-10.0	355.6-10.0	EN 10217.7, DIN 2463 D4/T3	86,815	304L/316L
TW-304L/316L-355.6-11.0	355.6-11.0	EN 10217.7, DIN 2463 D4/T3	95,220	304L/316L
TW-304L/316L-355.6-12.5	355.6-12.5	EN 10217.7, DIN 2463 D4/T3	107,733	304L/316L
TW-304L/316L-406.4-2.6	406.4-2.6	EN 10217.7, DIN 2463 D4/T3	26,373	304L/316L
TW-304L/316L-406.4-2.9	406.4-2.9	EN 10217.7, DIN 2463 D4/T3	29,394	304L/316L
TW-304L/316L-406.4-3.2	406.4-3.2	EN 10217.7, DIN 2463 D4/T3	32,411	304L/316L
TW-304L/316L-406.4-4.0	406.4-4.0	EN 10217.7, DIN 2463 D4/T3	40,433	304L/316L
TW-304L/316L-406.4-5.0	406.4-5.0	EN 10217.7, DIN 2463 D4/T3	50,416	304L/316L
TW-304L/316L-406.4-10.0	406.4-10.0	EN 10217.7, DIN 2463 D4/T3	99,576	304L/316L
TW-304L/316L-406.4-12.5	406.4-12.5	EN 10217.7, DIN 2463 D4/T3	123,685	304L/316L
TW-304L/316L-457-3.2	457-3.2	EN 10217.7, DIN 2463 D4/T3	36,478	304L/316L
TW-304L/316L-457-4.0	457-4.0	EN 10217.7, DIN 2463 D4/T3	45,517	304L/316L
TW-304L/316L-457-5.0	457-5.0	EN 10217.7, DIN 2463 D4/T3	56,771	304L/316L
TW-304L/316L-457-10.0	457-10.0	EN 10217.7, DIN 2463 D4/T3	112,286	304L/316L
TW-304L/316L-457-12.5	457-12.5	EN 10217.7, DIN 2463 D4/T3	139,573	304L/316L

CODE-ŠAVNE CEVI	DIMENZIJA MM	STANDARD	TEORETSKA TEŽINA KG/M	MATERIJAL
TW-304L/316L-457-14.2	457-14.2	EN 10217.7, DIN 2463 D4/T3	157,949	304L/316L
TW-304L/316L-508-3.2	508-3.2	EN 10217.7, DIN 2463 D4/T3	40,578	304L/316L
TW-304L/316L-508-3.6	508-3.6	EN 10217.7, DIN 2463 D4/T3	45,614	304L/316L
TW-304L/316L-508-4.0	508-4.0	EN 10217.7, DIN 2463 D4/T3	50,642	304L/316L
TW-304L/316L-508-5.0	508-5.0	EN 10217.7, DIN 2463 D4/T3	63,177	304L/316L
TW-304L/316L-508-5.6	508-5.6	EN 10217.7, DIN 2463 D4/T3	70,674	304L/316L
TW-304L/316L-508-11.0	508-11.0	EN 10217.7, DIN 2463 D4/T3	137,331	304L/316L
TW-304L/316L-508-12.5	508-12.5	EN 10217.7, DIN 2463 D4/T3	155,587	304L/316L
TW-304L/316L-508-14.2	508-14.2	EN 10217.7, DIN 2463 D4/T3	176,140	304L/316L
TW-304L/316L-610-3.2	610-3.2	EN 10217.7, DIN 2463 D4/T3	48,777	304L/316L
TW-304L/316L-610-4.0	610-4.0	EN 10217.7, DIN 2463 D4/T3	60,891	304L/316L
TW-304L/316L-610-5.6	610-5.6	EN 10217.7, DIN 2463 D4/T3	85,022	304L/316L
TW-304L/316L-610-6.3	610-6.3	EN 10217.7, DIN 2463 D4/T3	95,539	304L/316L
TW-304L/316L-610-12.5	610-12.5	EN 10217.7, DIN 2463 D4/T3	187,615	304L/316L
TW-304L/316L-610-14.2	610-14.2	EN 10217.7, DIN 2463 D4/T3	212,524	304L/316L

CODE-BEŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
THT-3R60-1.59-0.36	1.59 - 0.36	5500 - 7000	0,010	316-316L
THT-3R60-1.59-0.36A	1.59 - 0.36	5500 - 7000	0,010	316-316L
THT-3R60-1.59-0.51A	1.59 - 0.51	5500 - 7000	0,010	316-316L
THT-3R60-1.59-0.51	1.59 - 0.51	5500 - 7000	0,010	316-316L
THT-3R60-3-0.5	3.0 - 0.5	5500 - 7000	0,030	316-316L
THT-5R75-3-0.5	3.0 - 0.5	5500 - 7000	0,030	316Ti
THT-3R60-3-0.7	3.0 - 0.7	5500 - 7000	0,040	316-316L
THT-5R75-3-0.7	3.0 - 0.7	5500 - 7000	0,040	316Ti
THT-3R60-3.18-0.71A	3.18 - 0.71	5500 - 7000	0,040	316-316L
THT-3R60-3.18-0.71	3.18 - 0.71	5500 - 7000	0,040	316-316L
THT-3R60-3.18-0.89	3.18 - 0.89	5500 - 7000	0,050	316-316L
THT-3R60-4.76-0.89	4.76 - 0.89	5500 - 7000	0,090	316-316L
THT-3R60-6-1	6.0 - 1.0	5500 - 7000	0,130	316-316L
THT-3R12-6-1	6.0 - 1.0	5500 - 7000	0,130	304-304L
THT-6R35-6-1	6.0 - 1.0	5500 - 7000	0,130	321
THT-5R75-6-1	6.0 - 1.0	5500 - 7000	0,130	316Ti
THT-5R75-6-1S	6.0 - 1.0	5500 - 7000	0,130	316Ti
THT-3R60-6-1.5	6.0 - 1.5	5500 - 7000	0,170	316-316L
THT-6R35-6-1.5	6.0 - 1.5	5500 - 7000	0,170	321
THT-5R75-6-1.5	6.0 - 1.5	5500 - 7000	0,170	316Ti
THT-3R60-6.35-0.71	6.35 - 0.71	5500 - 7000	0,100	316-316L
THT-3R12-6.35-0.89	6.35 - 0.89	5500 - 7000	0,120	304-304L
THT-3R60-6.35-0.89	6.35 - 0.89	5500 - 7000	0,120	316-316L
THT-3R12-6.35-1.24	6.35 - 1.24	5500 - 7000	0,160	304-304L
THT-3R60-6.35-1.24	6.35 - 1.24	5500 - 7000	0,160	316-316L
THT-3R60-6.35-1.65	6.35 - 1.65	5500 - 7000	0,190	316-316L
THT-3R60-7.94-0.89	7.94 - 0.89	5500 - 7000	0,160	316-316L
THT-3R12-8-1	8.0 - 1.0	5500 - 7000	0,180	304-304L
THT-6R35-8-1	8.0 - 1.0	5500 - 7000	0,180	321
THT-3R60-8-1	8.0 - 1.0	5500 - 7000	0,180	316-316L
THT-5R75-8-1	8.0 - 1.0	5500 - 7000	0,180	316Ti
THT-3R12-8-1.5	8.0 - 1.5	5500 - 7000	0,240	304-304L



CODE-BEŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
THT-6R35-8-1.5	8.0 - 1.5	5500 - 7000	0,240	321
THT-3R60-8-1.5	8.0 - 1.5	5500 - 7000	0,240	316-316L
THT-5R75-8-1.5	8.0 - 1.5	5500 - 7000	0,240	316Ti
THT-3R12-8-2	8.0 - 2.0	5500 - 7000	0,300	304-304L
THT-6R35-8-2	8.0 - 2.0	5500 - 7000	0,300	321
THT-3R60-8-2	8.0 - 2.0	5500 - 7000	0,300	316-316L
THT-5R75-8-2	8.0 - 2.0	5500 - 7000	0,300	316Ti
THT-3R12-9.53-0.89	9.53 - 0.89	5500 - 7000	0,190	304-304L
THT-3R60-9.53-0.89	9.53 - 0.89	5500 - 7000	0,190	316-316L
THT-3R12-9.53-1.24	9.53 - 1.24	5500 - 7000	0,260	304-304L
THT-3R60-9.53-1.24	9.53 - 1.24	5500 - 7000	0,260	316-316L
THT-3R60-9.53-1.65	9.53 - 1.65	5500 - 7000	0,330	316-316L
THT-3R60-9.53-2.11	9.53 - 2.11	5500 - 7000	0,390	316-316L
THT-3R12-10-1	10.0 - 1.0	5500 - 7000	0,230	304-304L
THT-6R35-10-1	10.0 - 1.0	5500 - 7000	0,230	321
THT-3R60-10-1	10.0 - 1.0	5500 - 7000	0,230	316-316L
THT-5R75-10-1	10.0 - 1.0	5500 - 7000	0,230	316Ti
THT-3R12-10-1.5	10.0 - 1.5	5500 - 7000	0,320	304-304L
THT-6R35-10-1.5	10.0 - 1.5	5500 - 7000	0,320	321
THT-3R60-10-1.5	10.0 - 1.5	5500 - 7000	0,320	316-316L
THT-5R75-10-1.5	10.0 - 1.5	5500 - 7000	0,320	316Ti
THT-3R12-10-2	10.0 - 2.0	5500 - 7000	0,400	304-304L
THT-6R35-10-2	10.0 - 2.0	5500 - 7000	0,400	321
THT-3R60-10-2	10.0 - 2.0	5500 - 7000	0,400	316-316L
THT-5R75-10-2	10.0 - 2.0	5500 - 7000	0,400	316Ti
TST-3R12-1/8-SCH10	10.2 - 1.24 (1/8" sch 10 S)	5500 - 7000	0,280	304-304L
THT-3R12-12-1	12.0 - 1.0	5500 - 7000	0,280	304-304L
THT-6R35-12-1	12.0 - 1.0	5500 - 7000	0,280	321
THT-3R60-12-1	12.0 - 1.0	5500 - 7000	0,280	316-316L
THT-5R75-12-1	12.0 - 1.0	5500 - 7000	0,280	316Ti
THT-3R12-12-1.5	12.0 - 1.5	5500 - 7000	0,390	304-304L
THT-6R35-12-1.5	12.0 - 1.5	5500 - 7000	0,390	321
THT-3R60-12-1.5	12.0 - 1.5	5500 - 7000	0,390	316-316L
THT-5R75-12-1.5	12.0 - 1.5	5500 - 7000	0,390	316Ti
THT-3R12-12-2	12.0 - 2.0	5500 - 7000	0,500	304-304L
THT-6R35-12-2	12.0 - 2.0	5500 - 7000	0,500	321
THT-3R60-12-2	12.0 - 2.0	5500 - 7000	0,500	316-316L
THT-5R75-12-2	12.0 - 2.0	5500 - 7000	0,500	316Ti
THT-3R12-12.7-0.89	12.7 - 0.89	5500 - 7000	0,260	304-304L
THT-3R60-12.7-0.89	12.7 - 0.89	5500 - 7000	0,260	316-316L
THT-3R12-12.7-1.24	12.7 - 1.24	5500 - 7000	0,360	304-304L
THT-3R60-12.7-1.24	12.7 - 1.24	5500 - 7000	0,360	316-316L
THT-3R12-12.7-1.65	12.7 - 1.65	5500 - 7000	0,460	304-304L
THT-3R60-12.7-1.65	12.7 - 1.65	5500 - 7000	0,460	316-316L
THT-3R60-12.7-2.11	12.7 - 2.11	5500 - 7000	0,560	316-316L
TST-3R60-13.5-2.35	13.5 - 2.35	5500 - 7000	0,660	316-316L
TST-3R12-13.5-2.35	13.5 - 2.35	5500 - 7000	0,660	304-304L
TST-5R75-13.5-2.35	13.5 - 2.35	5500 - 7000	0,660	316Ti
TST-3R12-1/4-SCH10	13.72 - 1.65 (1/4" sch 10 S)	5500 - 7000	0,500	304-304L
TST-316L-1/4-SCH10	13.72 - 1.65 (1/4" sch 10 S)	5500 - 7000	0,500	316-316L
TST-3R12-1/4-SCH40	13.72 - 2.24 (1/4" sch 40 S)	5500 - 7000	0,640	304-304L
TST-316L-1/4-SCH40	13.72 - 2.24 (1/4" sch 40 S)	5500 - 7000	0,640	316-316L



CODE-BEŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
TST-3R12-1/4-SCH80	13.72 - 3.2 (1/4" sch 80 S)	5500 - 7000	0,810	304-304L
TST-316L-1/4-SCH80	13.72 - 3.2 (1/4" sch 80 S)	5500 - 7000	0,810	316-316L
THT-3R12-14-1	14.0 - 1.0	5500 - 7000	0,330	304-304L
THT-3R60-14-1	14.0 - 1.0	5500 - 7000	0,330	316-316L
THT-5R75-14-1.5	14.0 - 1.5	5500 - 7000	0,470	316Ti
THT-3R12-14-2	14.0 - 2.0	5500 - 7000	0,600	304-304L
THT-6R35-14-2	14.0 - 2.0	5500 - 7000	0,600	321
THT-3R60-14-2	14.0 - 2.0	5500 - 7000	0,600	316-316L
THT-5R75-14-2	14.0 - 2.0	5500 - 7000	0,600	316Ti
THT-5R75-14-2.5	14.0 - 2.5	5500 - 7000	0,720	316Ti
THT-3R12-15-1	15.0 - 1.0	5500 - 7000	0,350	304-304L
THT-6R35-15-1	15.0 - 1.0	5500 - 7000	0,350	321
THT-3R60-15-1	15.0 - 1.0	5500 - 7000	0,350	316-316L
THT-5R75-15-1	15.0 - 1.0	5500 - 7000	0,350	316Ti
THT-3R12-15-1.5	15.0 - 1.5	5500 - 7000	0,510	304-304L
THT-3R60-15-1.5	15.0 - 1.5	5500 - 7000	0,510	316-316L
THT-5R75-15-1.5	15.0 - 1.5	5500 - 7000	0,510	316Ti
THT-3R12-15-2	15.0 - 2.0	5500 - 7000	0,650	304-304L
THT-6R35-15-2	15.0 - 2.0	5500 - 7000	0,650	321
THT-3R60-15-2	15.0 - 2.0	5500 - 7000	0,650	316-316L
THT-5R75-15-2	15.0 - 2.0	5500 - 7000	0,650	316Ti
THT-3R60-15.88-1.24	15.88 - 1.24	5500 - 7000	0,450	316-316L
THT-3R60-15.88-1.65	15.88 - 1.65	5500 - 7000	0,590	316-316L
THT-3R12-16-1	16.0 - 1.0	5500 - 7000	0,380	304-304L
THT-3R60-16-1	16.0 - 1.0	5500 - 7000	0,380	316-316L
THT-3R12-16-1.5	16.0 - 1.5	5500 - 7000	0,540	304-304L
THT-3R60-16-1.5	16.0 - 1.5	5500 - 7000	0,540	316-316L
THT-5R75-16-1.5	16.0 - 1.5	5500 - 7000	0,540	316Ti
THT-3R12-16-2	16.0 - 2.0	5500 - 7000	0,700	304-304L
THT-6R35-16-2	16.0 - 2.0	5500 - 7000	0,700	321
THT-3R60-16-2	16.0 - 2.0	5500 - 7000	0,700	316-316L
THT-5R75-16-2	16.0 - 2.0	5500 - 7000	0,700	316Ti
THT-6R35-16-2.5	16.0 - 2.5	5500 - 7000	0,850	321
THT-3R60-16-2.5	16.0 - 2.5	5500 - 7000	0,850	316-316L
THT-5R75-16-2.5	16.0 - 2.5	5500 - 7000	0,850	316Ti
THT-6R35-16-3	16.0 - 3.0	5500 - 7000	0,980	321
THT-5R75-16-3	16.0 - 3.0	5500 - 7000	0,980	316Ti
TST-3R12-3/8-SCH10	17.15 - 1.65 (3/8" sch 10 S)	5500 - 7000	0,640	304-304L
TST-316L-3/8-SCH10	17.15 - 1.65 (3/8" sch 10 S)	5500 - 7000	0,640	316-316L
TST-3R12-3/8-SCH40	17.15 - 2.31 (3/8" sch 40 S)	5500 - 7000	0,860	304-304L
TST-316L-3/8-SCH40	17.15 - 2.31 (3/8" sch 40 S)	5500 - 7000	0,860	316-316L
TST-3R12-3/8-SCH80	17.15 - 3.2 (3/8" sch 80 S)	5500 - 7000	1,120	304-304L
TST-316L-3/8-SCH80	17.15 - 3.2 (3/8" sch 80 S)	5500 - 7000	1,120	316-316L
TST-3R60-17.2-1.6	17.2 - 1.6	5500 - 7000	0,620	316-316L
TST-3R60-17.2-2.35	17.2 - 2.35	5500 - 7000	0,870	316-316L
TST-3R12-17.2-2.35	17.2 - 2.35	5500 - 7000	0,870	304-304L
THT-3R12-18-1	18.0 - 1.0	5500 - 7000	0,430	304-304L
THT-3R60-18-1	18.0 - 1.0	5500 - 7000	0,430	316-316L
THT-3R12-18-1.5	18.0 - 1.5	5500 - 7000	0,620	304-304L
THT-6R35-18-1.5	18.0 - 1.5	5500 - 7000	0,620	321
THT-3R60-18-1.5	18.0 - 1.5	5500 - 7000	0,620	316-316L
THT-5R75-18-1.5	18.0 - 1.5	5500 - 7000	0,620	316Ti

CODE-BEŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
TST-6R35-18-1.5	18.0 - 1.5	5500 - 7000	0,620	321
THT-3R12-18-2	18.0 - 2.0	5500 - 7000	0,800	304-304L
THT-6R35-18-2	18.0 - 2.0	5500 - 7000	0,800	321
THT-3R60-18-2	18.0 - 2.0	5500 - 7000	0,800	316-316L
THT-5R75-18-2	18.0 - 2.0	5500 - 7000	0,800	316Ti
THT-5R75-18-2.5	18.0 - 2.5	5500 - 7000	0,970	316Ti
THT-3R60-19.05-1.24	19.5 - 1.24	5500 - 7000	0,550	316-316L
THT-3R60-19.05-1.65	19.5 - 1.65	5500 - 7000	0,720	316-316L
THT-3R60-19.05-2.11	19.5 - 2.11	5500 - 7000	0,900	316-316L
THT-3R60-19.05-2.41	19.5 - 2.41	5500 - 7000	1,000	316-316L
THT-3R60-19.05-2.77	19.5 - 2.77	5500 - 7000	1,130	316-316L
THT-3R60-20-1.5	20.0 - 1.5	5500 - 7000	0,690	316-316L
THT-3R12-20-1.5	20.0 - 1.5	5500 - 7000	0,690	304-304L
THT-5R75-20-1.5	20.0 - 1.5	5500 - 7000	0,690	316Ti
THT-3R60-20-2	20.0 - 2.0	5500 - 7000	0,900	316-316L
THT-3R12-20-2	20.0 - 2.0	5500 - 7000	0,900	304-304L
THT-6R35-20-2	20.0 - 2.0	5500 - 7000	0,900	321
THT-5R75-20-2	20.0 - 2.0	5500 - 7000	0,900	316Ti
THT-3R60-20-2.5	20.0 - 2.5	5500 - 7000	1,100	316-316L
THT-6R35-20-2.5	20.0 - 2.5	5500 - 7000	1,100	321
THT-5R75-20-2.5	20.0 - 2.5	5500 - 7000	1,100	316Ti
THT-6R35-20-3	20.0 - 3.0	5500 - 7000	1,280	321
THT-5R75-20-3	20.0 - 3.0	5500 - 7000	1,280	316Ti
THT-3R60-20-4	20.0 - 4.0	5500 - 7000	1,600	316-316L
TST-3R60-21.3-1.6	21.3 - 1.6	5500 - 7000	0,790	316-316L
TST-3R12-21.3-1.6	21.3 - 1.6	5500 - 7000	0,790	304-304L
TST-3R12-21.3-2	21.3 - 2.0	5500 - 7000	0,970	304-304L
TST-5R75-21.3-2	21.3 - 2.0	5500 - 7000	0,970	316Ti
TS-304L-1/2-10S	21.3 - 2.11 (1/2" sch 10 S)	5750 +/- 50	1,020	304-304L
TS-316L-1/2-10S	21.3 - 2.11 (1/2" sch 10 S)	5750 +/- 50	1,020	316-316L
TST-3R12-21.3-2.65	21.3 - 2.65	5500 - 7000	1,240	304-304L
TST-3R60-21.3-2.65	21.3 - 2.65	5500 - 7000	1,240	316-316L
TST-6R35-21.3-2.65	21.3 - 2.65	5500 - 7000	1,240	321
TS-4571-21.3-2.65	21.3 - 2.65	5750 +/- 5.0	1,220	316Ti
TS-304L-1/2-40S	21.3 - 2.77 (1/2" sch 40 S)	5750 +/- 50	1,290	304-304L
TS-316L-1/2-40S	21.3 - 2.77 (1/2" sch 40 S)	5750 +/- 50	1,290	316-316L
TST-5R75-21.3-3.2	21.3 - 3.2	5500 - 7000	1,450	316Ti
TST-6R35-21.3-3.2	21.3 - 3.2	5500 - 7000	1,450	321
TS-304L-1/2-80S	21.3 - 3.73 (1/2" sch 80 S)	5750 +/- 50	1,650	304-304L
TS-316L-1/2-80S	21.3 - 3.73 (1/2" sch 80 S)	5750 +/- 50	1,650	316-316L
TS-304L-1/2-160	21.3 - 4.78 (1/2" sch 160)	5750 +/- 50	1,980	304-304L
TST-3R12-1/2-SCH10	21.34 - 2.11 (1/2" sch 10 S)	5500 - 7000	1,020	304-304L
TST-316L-1/2-SCH10	21.34 - 2.11 (1/2" sch 10 S)	5500 - 7000	1,020	316-316L
TST-3R12-1/2-SCH40	21.34 - 2.77 (1/2" sch 40 S)	5500 - 7000	1,290	304-304L
TST-6R35-1/2-SCH40	21.34 - 2.77 (1/2" sch 40 S)	5500 - 7000	1,290	321
TST-316L-1/2-SCH40	21.34 - 2.77 (1/2" sch 40 S)	5500 - 7000	1,290	316-316L
TST-3R12-1/2-SCH80	21.34 - 3.73 (1/2" sch 80 S)	5500 - 7000	1,640	304-304L
TST-316L-1/2-SCH80	21.34 - 3.73 (1/2" sch 80 S)	5500 - 7000	1,640	316-316L
TST-316L-1/2-SCH160	21.34 - 4.78 (1/2" sch 160)	5500 - 7000	1,980	316-316L
THT-3R60-22-1.5	22.0 - 1.5	5500 - 7000	0,770	316-316L
THT-3R12-22-1.5	22.0 - 1.5	5500 - 7000	0,770	304-304L
THT-6R35-22-1.5	22.0 - 1.5	5500 - 7000	0,770	321

CODE-BEZŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
THT-5R75-22-1.5	22.0 - 1.5	5500 - 7000	0,770	316Ti
THT-3R60-22-2	22.0 - 2.0	5500 - 7000	1,000	316-316L
THT-3R12-22-2	22.0 - 2.0	5500 - 7000	1,000	304-304L
THT-6R35-22-2	22.0 - 2.0	5500 - 7000	1,000	321
THT-5R75-22-2	22.0 - 2.0	5500 - 7000	1,000	316Ti
TST-3R60-23-1.5	23.0 - 1.5	5500 - 7000	0,810	316-316L
TS-4571-42.4-2.6	24.4 - 2.6	5750 +/- 5.0	2,590	316Ti
THT-3R12-25-1.5	25.0 - 1.5	5500 - 7000	0,880	304-304L
THT-3R12-25-2	25.0 - 2.0	5500 - 7000	1,150	304-304L
THT-3R60-25-2	25.0 - 2.0	5500 - 7000	1,150	316-316L
THT-5R75-25-2	25.0 - 2.0	5500 - 7000	1,150	316Ti
THT-3R12-25-2.5	25.0 - 2.5	5500 - 7000	1,410	304-304L
THT-6R35-25-2.5	25.0 - 2.5	5500 - 7000	1,410	321
THT-3R60-25-2.5	25.0 - 2.5	5500 - 7000	1,410	316-316L
THT-5R75-25-2.5	25.0 - 2.5	5500 - 7000	1,410	316Ti
THT-3R12-25-3	25.0 - 3.0	5500 - 7000	1,650	304-304L
THT-6R35-25-3	25.0 - 3.0	5500 - 7000	1,650	321
THT-3R60-25-3	25.0 - 3.0	5500 - 7000	1,650	316-316L
THT-5R75-25-3	25.0 - 3.0	5500 - 7000	1,650	316Ti
THT-3R60-25.4-1.24	25.4 - 1.24	5500 - 7000	0,750	316-316L
THT-3R60-25.4-1.65	25.4 - 1.65	5500 - 7000	0,980	316-316L
THT-3R60-25.4-2.11	25.4 - 2.11	5500 - 7000	1,230	316-316L
THT-3R60-25.4-2.41	25.4 - 2.41	5500 - 7000	1,390	316-316L
THT-3R60-25.4-3.2	25.4 - 3.2	5500 - 7000	1,780	316-316L
TST-3R12-3/4-SCH10	26.67 - 2.11 (3/4" sch 10 S)	5500 - 7000	1,300	304-304L
TST-316L-3/4-SCH10	26.67 - 2.11 (3/4" sch 10 S)	5500 - 7000	1,300	316-316L
TST-3R12-3/4-SCH40	26.67 - 2.87 (3/4" sch 40 S)	5500 - 7000	1,710	304-304L
TST-E-3R12-3/4-SCH40	26.67 - 2.87 (3/4" sch 40 S)	5500 - 7000	1,710	304-304L
TST-6R35-3/4-SCH40	26.67 - 2.87 (3/4" sch 40 S)	5500 - 7000	1,710	321
TST-316L-3/4-SCH40	26.67 - 2.87 (3/4" sch 40 S)	5500 - 7000	1,710	316-316L
TST-3R12-3/4-SCH80	26.67 - 3.91 (3/4" sch 80 S)	5500 - 7000	2,230	304-304L
TST-E-3R12-3/4-SCH80	26.67 - 3.91 (3/4" sch 80 S)	5500 - 7000	2,230	304-304L
TST-316L-3/4-SCH80	26.67 - 3.91 (3/4" sch 80 S)	5500 - 7000	2,230	316-316L
TST-316L-3/4-SCH160	26.67 - 5.56 (3/4" sch 160)	5500 - 7000	2,940	316-316L
TS-304L-3/4-10S	26.7 - 2.11 (3/4" sch 10 S)	5750 +/- 50	1,300	304-304L
TS-316L-3/4-10S	26.7 - 2.11 (3/4" sch 10 S)	5750 +/- 50	1,300	316-316L
TS-304L-3/4-40S	26.7 - 2.87 (3/4" sch 40 S)	5750 +/- 50	1,710	304-304L
TS-316L-3/4-40S	26.7 - 2.87 (3/4" sch 40 S)	5750 +/- 50	1,710	316-316L
TS-304L-3/4-80S	26.7 - 3.91 (3/4" sch 80 S)	5750 +/- 50	2,230	304-304L
TS-316L-3/4-80S	26.7 - 3.91 (3/4" sch 80 S)	5750 +/- 50	2,230	316-316L
TS-304L-3/4-160	26.7 - 5.56 (3/4" sch 160)	5750 +/- 50	2,940	304-304L
TST-3R60-26.9-1.6	26.9 - 1.6	5500 - 7000	1,010	316-316L
TST-5R75-26.9-2	26.9 - 2.0	5500 - 7000	1,250	316Ti
TST-6R35-26.9-2	26.9 - 2.0	5500 - 7000	1,250	321
TST-3R60-26.9-2.65	26.9 - 2.65	5500 - 7000	1,610	316-316L
TST-3R12-26.9-2.65	26.9 - 2.65	5500 - 7000	1,610	304-304L
TST-5R75-26.9-2.65	26.9 - 2.65	5500 - 7000	1,610	316Ti
TST-6R35-26.9-2.65	26.9 - 2.65	5500 - 7000	1,610	321
TST-5R75-26.9-3.2	26.9 - 3.2	5500 - 7000	1,900	316Ti
THT-3R12-28-1.5	28.0 - 1.5	5500 - 7000	1,000	304-304L
THT-6R35-28-1.5	28.0 - 1.5	5500 - 7000	1,000	321
THT-3R60-28-1.5	28.0 - 1.5	5500 - 7000	1,000	316-316L

CODE-BEZŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
THT-5R75-28-1.5	28.0 - 1.5	5500 - 7000	1,000	316Ti
THT-3R12-28-2	28.0 - 2.0	5500 - 7000	1,300	304-304L
THT-6R35-28-2	28.0 - 2.0	5500 - 7000	1,300	321
THT-3R60-28-2	28.0 - 2.0	5500 - 7000	1,300	316-316L
THT-5R75-28-2	28.0 - 2.0	5500 - 7000	1,300	316Ti
THT-3R12-28-2.5	28.0 - 2.5	5500 - 7000	1,600	304-304L
THT-3R60-28-2.5	28.0 - 2.5	5500 - 7000	1,600	316-316L
TST-3R60-30-2	30.0 - 2.0	5500 - 7000	1,400	316-316L
TST-3R12-30-2	30.0 - 2.0	5500 - 7000	1,400	304-304L
THT-3R60-30-2.5	30.0 - 2.5	5500 - 7000	1,720	316-316L
TST-5R75-30-2.6	30.0 - 2.6	5500 - 7000	1,780	316Ti
THT-3R12-30-3	30.0 - 3.0	5500 - 7000	2,030	304-304L
THT-3R60-30-3	30.0 - 3.0	5500 - 7000	2,030	316-316L
TST-E-5R75-30-3	30.0 - 3.0	5500 - 7000	2,030	316Ti
THT-5R75-30-3	30.0 - 3.0	5500 - 7000	2,030	316Ti
THT-3R60-30-4	30.0 - 4.0	5500 - 7000	2,600	316-316L
TST-E-5R75-30-4	30.0 - 4.0	5500 - 7000	2,600	316Ti
THT-5R75-30-4	30.0 - 4.0	5500 - 7000	2,600	316Ti
TST-E-316L-1-SCH10	33.4 - 2.77 (1" sch 10 S)	5500 - 7000	2,120	316-316L
TST-E-3R12-1-SCH10	33.4 - 2.77 (1" sch 10 S)	5500 - 7000	2,120	304-304L
TS-304L-1-10S	33.4 - 2.77 (1" sch 10 S)	5750 +/- 50	2,130	304-304L
TS-316L-1-10S	33.4 - 2.77 (1" sch 10 S)	5750 +/- 50	2,130	316-316L
TST-E-6R35-1-SCH40	33.4 - 3.38 (1" sch 40 S)	5500 - 7000	2,540	321
TST-E-316L-1-SCH40	33.4 - 3.38 (1" sch 40 S)	5500 - 7000	2,540	316-316L
TST-E-3R12-1-SCH40	33.4 - 3.38 (1" sch 40 S)	5500 - 7000	2,540	304-304L
TS-304L-1-40S	33.4 - 3.38 (1" sch 40 S)	5750 +/- 50	2,540	304-304L
TS-316L-1-40S	33.4 - 3.38 (1" sch 40 S)	5750 +/- 50	2,540	316-316L
TST-E-316L-1-SCH80	33.4 - 4.55 (1" sch 80 S)	5500 - 7000	3,290	316-316L
TST-E-3R12-1-SCH80	33.4 - 4.55 (1" sch 80 S)	5500 - 7000	3,290	304-304L
TS-304L-1-80S	33.4 - 4.55 (1" sch 80 S)	5750 +/- 50	3,290	304-304L
TS-316L-1-80S	33.4 - 4.55 (1" sch 80 S)	5750 +/- 50	3,290	316-316L
TST-E-316L-1-SCH160	33.4 - 6.35 (1" sch 160)	5500 - 7000	4,300	316-316L
TST-E-3R12-1-SCH160	33.4 - 6.35 (1" sch 160)	5500 - 7000	4,300	304-304L
TS-304L-1-160	33.4 - 6.35 (1" sch 160)	5750 +/- 50	4,300	304-304L
TS-316L-1-160	33.4 - 6.35 (1" sch 160)	5750 +/- 50	4,300	316-316L
TST-3R60-33.7-2	33.7 - 2.0	5500 - 7000	1,590	316-316L
TST-3R12-33.7-2	33.7 - 2.0	5500 - 7000	1,590	304-304L
TST-5R75-33.7-2	33.7 - 2.0	5500 - 7000	1,590	316Ti
TST-6R35-33.7-2	33.7 - 2.0	5500 - 7000	1,590	321
TS-4571-33.7-2	33.7 - 2.0	5750 +/- 5.0	1,590	316Ti
TST-5R75-33.7-2.6	33.7 - 2.6	5500 - 7000	2,020	316Ti
TS-4571-33.7-2.6	33.7 - 2.6	5750 +/- 5.0	2,020	316Ti
TST-E-5R75-33.7-3.25	33.7 - 3.25	5500 - 7000	2,480	316Ti
TST-E-3R12-33.7-3.25	33.7 - 3.25	5500 - 7000	2,480	304-304L
TST-E-3R60-33.7-3.25	33.7 - 3.25	5500 - 7000	2,480	316-316L
TS-4571-33.7-3.25	33.7 - 3.25	5750 +/- 5.0	2,470	316Ti
TST-E-6R35-33.7-4.05	33.7 - 4.5	5500 - 7000	3,010	321
TST-E-5R75-33.7-4.05	33.7 - 4.5	5500 - 7000	3,010	316Ti
THT-3R12-35-2	35.0 - 2.0	5500 - 7000	1,650	304-304L
THT-6R35-35-2	35.0 - 2.0	5500 - 7000	1,650	321
THT-3R60-35-2	35.0 - 2.0	5500 - 7000	1,650	316-316L
THT-5R75-35-2	35.0 - 2.0	5500 - 7000	1,650	316Ti

CODE-BEZŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
THT-3R12-35-2.5	35.0 - 2.5	5500 - 7000	2,030	304-304L
THT-5R75-35-2.5	35.0 - 2.5	5500 - 7000	2,030	316Ti
THT-3R12-35-3	35.0 - 3.0	5500 - 7000	2,400	304-304L
THT-3R60-35-3	35.0 - 3.0	5500 - 7000	2,400	316-316L
THT-3R12-38-2	38.0 - 2.0	5500 - 7000	1,800	304-304L
THT-3R60-38-2	38.0 - 2.0	5500 - 7000	1,800	316-316L
THT-5R75-38-2	38.0 - 2.0	5500 - 7000	1,800	316Ti
TST-3R60-38-2.6	38.0 - 2.6	5500 - 7000	2,300	316-316L
THT-3R12-38-3	38.0 - 3.0	5500 - 7000	2,630	304-304L
TST-E-6R35-38-3	38.0 - 3.0	5500 - 7000	2,630	321
THT-3R60-38-3	38.0 - 3.0	5500 - 7000	2,630	316-316L
THT-5R75-38-3	38.0 - 3.0	5500 - 7000	2,630	316Ti
THT-3R12-38-4	38.0 - 4.0	5500 - 7000	3,410	304-304L
THT-3R60-38-4	38.0 - 4.0	5500 - 7000	3,410	316-316L
THT-5R75-38-4	38.0 - 4.0	5500 - 7000	3,410	316Ti
THT-3R60-38-5	38.0 - 5.0	5500 - 7000	4,130	316-316L
THT-5R75-38-5	38.0 - 5.0	5500 - 7000	4,130	316Ti
TST-E-5R75-38-6	38.0 - 6.0	5500 - 7000	4,810	316Ti
THT-3R60-42-2	42.0 - 2.0	5500 - 7000	2,000	316-316L
THT-5R75-42-2	42.0 - 2.0	5500 - 7000	2,000	316Ti
THT-3R12-42-3	42.0 - 3.0	5500 - 7000	2,930	304-304L
THT-6R35-42-3	42.0 - 3.0	5500 - 7000	2,930	321
THT-3R60-42-3	42.0 - 3.0	5500 - 7000	2,930	316-316L
THT-5R75-42-3	42.0 - 3.0	5500 - 7000	2,930	316Ti
TST-E-316L-11/4-SCH10	42.16 - 2.77 (1 1/4" sch 10 S)	5500 - 7000	2,730	316-316L
TST-E-3R12-11/4-SCH10	42.16 - 2.77 (1 1/4" sch 10 S)	5500 - 7000	2,730	304-304L
TST-E-316L-11/4-SCH40	42.16 - 3.56 (1 1/4" sch 40 S)	5500 - 7000	3,440	316-316L
TST-E-3R12-11/4-SCH40	42.16 - 3.56 (1 1/4" sch 40 S)	5500 - 7000	3,440	304-304L
TST-E-316L-11/4-SCH80	42.16 - 4.85 (1 1/4" sch 80 S)	5500 - 7000	4,530	316-316L
TST-E-3R12-11/4-SCH80	42.16 - 4.85 (1 1/4" sch 80 S)	5500 - 7000	4,530	304-304L
TST-E-316L-11/4-SCH160	42.16 - 6.35 (1 1/4" sch 160 S)	5500 - 7000	5,690	316-316L
TST-E-3R12-11/4-SCH160	42.16 - 6.35 (1 1/4" sch 160 S)	5500 - 7000	5,690	304-304L
TS-304L-11/4-10S	42.2 - 2.77 (1 1/4" sch 10 S)	5750 +/- 50	2,730	304-304L
TS-316L-11/4-10S	42.2 - 2.77 (1 1/4" sch 10 S)	5750 +/- 50	2,730	316-316L
TS-304L-11/4-40S	42.2 - 3.56 (1 1/4" sch 40 S)	5750 +/- 50	3,440	304-304L
TS-316L-11/4-40S	42.2 - 3.56 (1 1/4" sch 40 S)	5750 +/- 50	3,440	316-316L
TS-304L-11/4-80S	42.2 - 4.85 (1 1/4" sch 80 S)	5750 +/- 50	4,530	304-304L
TS-316L-11/4-80S	42.2 - 4.85 (1 1/4" sch 80 S)	5750 +/- 50	4,530	316-316L
TS-304L-11/4-160	42.2 - 6.35 (1 1/4" sch 160)	5750 +/- 50	5,690	304-304L
TS-316L-11/4-160	42.2 - 6.35 (1 1/4" sch 160)	5750 +/- 50	5,690	316-316L
TST-3R60-42.4-1.6	42.4 - 1.6	5500 - 7000	1,630	316-316L
TST-5R75-42.4-2	42.4 - 2.0	5500 - 7000	2,020	316Ti
TST-5R75-42.4-2.6	42.4 - 2.6	5500 - 7000	2,590	316Ti
TST-E-5R75-42.4-3.25	42.4 - 3.25	5500 - 7000	3,190	316Ti
TST-E-3R12-42.4-3.25	42.4 - 3.25	5500 - 7000	3,190	304-304L
TST-E-3R60-42.4-3.25	42.4 - 3.25	5500 - 7000	3,190	316-316L
TST-3R60-44.5-2	44.5 - 2.0	5500 - 7000	2,130	316-316L
TST-3R12-44.5-2	44.5 - 2.0	5500 - 7000	2,130	304-304L
TST-5R75-44.5-2.6	44.5 - 2.6	5500 - 7000	2,730	316Ti
TST-E-3R60-44.5-2.9	44.5 - 2.9	5500 - 7000	3,020	316-316L
TST-E-316L-11/2-SCH10	48.26 - 2.77 (1 1/2" sch 10 S)	5500 - 7000	3,160	316-316L
TST-E-3R12-11/2-SCH10	48.26 - 2.77 (1 1/2" sch 10 S)	5500 - 7000	3,160	304-304L

CODE-BEZŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
TST-E-6R35-11/2-SCH40	48.26 - 3.68 (1 1/2" sch 40 S)	5500 - 7000	4,110	321
TST-E-316L-11/2-SCH40	48.26 - 3.68 (1 1/2" sch 40 S)	5500 - 7000	4,110	316-316L
TST-E-3R12-11/2-SCH40	48.26 - 3.68 (1 1/2" sch 40 S)	5500 - 7000	4,110	304-304L
TST-E-316L-11/2-SCH80	48.26 - 5.8 (1 1/2" sch 80 S)	5500 - 7000	5,490	316-316L
TST-E-3R12-11/2-SCH80	48.26 - 5.8 (1 1/2" sch 80 S)	5500 - 7000	5,490	304-304L
TST-E-316L-11/2-SCH160	48.26 - 7.14 (1 1/2" sch 160)	5500 - 7000	7,350	316-316L
TST-3R60-48.3-2	48.3 - 2.0	5500 - 7000	2,320	316-316L
TST-5R75-48.3-2	48.3 - 2.0	5500 - 7000	2,320	316Ti
TST-E-5R75-48.3-2.6	48.3 - 2.6	5500 - 7000	2,980	316Ti
TST-E-3R12-48.3-2.6	48.3 - 2.6	5500 - 7000	2,980	304-304L
TST-E-3R60-48.3-2.6	48.3 - 2.6	5500 - 7000	2,980	316-316L
TS-4571-48.3-2.6	48.3 - 2.6	5750 +/- 5.0	2,980	316Ti
TS-304L-11/2-10S	48.3 - 2.77 (1 1/2" sch 10 S)	5750 +/- 50	3,160	304-304L
TS-316L-11/2-10S	48.3 - 2.77 (1 1/2" sch 10 S)	5750 +/- 50	3,160	316-316L
TST-E-5R75-48.3-3.25	48.3 - 3.25	5500 - 7000	3,670	316Ti
TST-E-3R12-48.3-3.25	48.3 - 3.25	5500 - 7000	3,670	304-304L
TST-E-3R60-48.3-3.25	48.3 - 3.25	5500 - 7000	3,670	316-316L
TS-4571-48.3-3.25	48.3 - 3.25	5750 +/- 5.0	3,610	316Ti
TS-304L-11/2-40S	48.3 - 3.68 (1 1/2" sch 40 S)	5750 +/- 50	4,110	304-304L
TS-316L-11/2-40S	48.3 - 3.68 (1 1/2" sch 40 S)	5750 +/- 50	4,110	316-316L
TST-E-5R75-48.3-4.05	48.3 - 4.5	5500 - 7000	4,490	316Ti
TS-304L-11/2-80S	48.3 - 5.8 (1 1/2" sch 80 S)	5750 +/- 50	5,490	304-304L
TS-316L-11/2-80S	48.3 - 5.8 (1 1/2" sch 80 S)	5750 +/- 50	5,490	316-316L
TS-304L-11/2-160	48.3 - 7.14 (1 1/2" sch 160)	5750 +/- 50	7,350	304-304L
TS-316L-11/2-160	48.3 - 7.14 (1 1/2" sch 160)	5750 +/- 50	7,350	316-316L
TST-E-6R35-50-5	50.0 - 5.0	5500 - 7000	5,630	321
THT-3R60-50-5	50.0 - 5.0	5500 - 7000	5,630	316-316L
TST-E-5R75-50-5	50.0 - 5.0	5500 - 7000	5,630	316Ti
TST-3R60-51-2.6	51.0 - 2.6	5500 - 7000	3,150	316-316L
TST-3R12-51-2.6	51.0 - 2.6	5500 - 7000	3,150	304-304L
TST-5R75-51-2.6	51.0 - 2.6	5500 - 7000	3,150	316Ti
TST-3R60-54-2	54.0 - 2.0	5500 - 7000	2,600	316-316L
TST-3R12-54-2	54.0 - 2.0	5500 - 7000	2,600	304-304L
TST-E-6R35-57-2.9	57.0 - 2.9	5500 - 7000	3,930	321
TST-E-3R12-57-2.9	57.0 - 2.9	5500 - 7000	3,930	304-304L
TST-E-3R60-57-2.9	57.0 - 2.9	5500 - 7000	3,930	316-316L
TST-E-6R35-60-5	60.0 - 5.0	5500 - 7000	6,890	321
TST-E-5R75-60-5	60.0 - 5.0	5500 - 7000	6,890	316Ti
TST-3R12-60.3-2	60.3 - 2.0	5500 - 7000	2,920	304-304L
TST-3R60-60.3-2	60.3 - 2.0	5500 - 7000	2,920	316-316L
TST-5R75-60.3-2	60.3 - 2.0	5500 - 7000	2,920	316Ti
TS-4571-60.3-2	60.3 - 2.0	5750 +/- 5.0	2,920	316Ti
TST-3R60-60.3-2.6	60.3 - 2.6	5500 - 7000	3,760	316-316L
TST-5R75-60.3-2.6	60.3 - 2.6	5500 - 7000	3,760	316Ti
TS-304L-2-10S	60.3 - 2.77 (2" sch 10 S)	5750 +/- 50	3,990	304-304L
TS-316L-2-10S	60.3 - 2.77 (2" sch 10 S)	5750 +/- 50	3,990	316-316L
TST-E-6R35-60.3-2.9	60.3 - 2.9	5500 - 7000	4,170	321
TST-E-5R75-60.3-2.9	60.3 - 2.9	5500 - 7000	4,170	316Ti
TS-4571-60.3-2.9	60.3 - 2.9	5750 +/- 5.0	4,170	316Ti
TST-E-6R35-60.3-3.65	60.3 - 3.65	5500 - 7000	5,180	321
TST-E-5R75-60.3-3.65	60.3 - 3.65	5500 - 7000	5,180	316Ti
TST-E-3R12-60.3-3.65	60.3 - 3.65	5500 - 7000	5,180	304-304L

CODE-BEZŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
TST-E-3R60-60.3-3.65	60.3 - 3.65	5500 - 7000	5,180	316-316L
TS-304L-2-40S	60.3 - 3.91 (2" sch 40 S)	5750 +/- 50	5,520	304-304L
TS-316L-2-40S	60.3 - 3.91 (2" sch 40 S)	5750 +/- 50	5,520	316-316L
TS-304L-2-80S	60.3 - 5.54 (2" sch 80 S)	5750 +/- 50	7,600	304-304L
TS-316L-2-80S	60.3 - 5.54 (2" sch 80 S)	5750 +/- 50	7,600	316-316L
TS-304L-2-160	60.3 - 8.74 (2" sch 160)	5750 +/- 50	11,290	304-304L
TS-316L-2-160	60.3 - 8.74 (2" sch 160)	5750 +/- 50	11,290	316-316L
TST-E-316L-2-SCH10	60.33 - 2.77 (2" sch 10 S)	5500 - 7000	3,990	316-316L
TST-E-3R12-2-SCH10	60.33 - 2.77 (2" sch 10 S)	5500 - 7000	3,990	304-304L
TST-E-6R35-2-SCH40	60.33 - 3.91 (2" sch 40 S)	5500 - 7000	5,520	321
TST-E-316L-2-SCH40	60.33 - 3.91 (2" sch 40 S)	5500 - 7000	5,520	316-316L
TST-E-3R12-2-SCH40	60.33 - 3.91 (2" sch 40 S)	5500 - 7000	5,520	304-304L
TST-E-6R35-2-SCH80	60.33 - 5.54 (2" sch 80 S)	5500 - 7000	7,600	321
TST-E-316L-2-SCH80	60.33 - 5.54 (2" sch 80 S)	5500 - 7000	7,600	316-316L
TST-E-3R12-2-SCH80	60.33 - 5.54 (2" sch 80 S)	5500 - 7000	7,600	304-304L
TST-E-316L-2-SCH160	60.33 - 8.74 (2" sch 160)	5500 - 7000	11,290	316-316L
TST-E-3R12-2-SCH160	60.33 - 8.74 (2" sch 160)	5500 - 7000	11,290	304-304L
TST-3R60-63.5-2.6	63.5 - 2.6	5500 - 7000	3,960	316-316L
TST-3R60-70-2.9	70.0 - 2.9	5500 - 7000	4,870	316-316L
TST-3R12-70-2.9	70.0 - 2.9	5500 - 7000	4,870	304-304L
TST-5R75-70-2.9	70.0 - 2.9	5500 - 7000	4,870	316Ti
TS-304L-21/2-10S	73.03 - 3.5 (2 1/2" sch 10 S)	5750 +/- 50	5,350	304-304L
TS-316L-21/2-10S	73.03 - 3.5 (2 1/2" sch 10 S)	5750 +/- 50	5,350	316-316L
TS-304L-21/2-40S	73.03 - 5.16 (2 1/2" sch 40 S)	5750 +/- 50	8,770	304-304L
TS-316L-21/2-40S	73.03 - 5.16 (2 1/2" sch 40 S)	5750 +/- 50	8,770	316-316L
TS-304L-21/2-80S	73.03 - 7.1 (2 1/2" sch 80 S)	5750 +/- 50	11,590	304-304L
TS-316L-21/2-80S	73.03 - 7.1 (2 1/2" sch 80 S)	5750 +/- 50	11,590	316-316L
TST-E-316L-21/2-SCH10	73.03 - 3.5 (2 1/2" sch 10 S)	5500 - 7000	5,340	316-316L
TST-E-3R12-21/2-SCH10	73.03 - 3.5 (2 1/2" sch 10 S)	5500 - 7000	5,340	304-304L
TST-E-316L-21/2-SCH40	73.03 - 5.16 (2 1/2" sch 40 S)	5500 - 7000	8,770	316-316L
TST-E-3R12-21/2-SCH40	73.03 - 5.16 (2 1/2" sch 40 S)	5500 - 7000	8,770	304-304L
TST-E-316L-21/2-SCH80	73.03 - 7.1 (2 1/2" sch 80 S)	5500 - 7000	11,590	316-316L
TST-E-3R12-21/2-SCH80	73.03 - 7.1 (2 1/2" sch 80 S)	5500 - 7000	11,590	304-304L
TST-E-316L-21/2-SCH160	73.03 - 9.53 (2 1/2" sch 160)	5500 - 7000	15,150	316-316L
TST-3R12-76.1-2	76.1 - 2.0	5500 - 7000	3,710	304-304L
TST-3R60-76.1-2	76.1 - 2.0	5500 - 7000	3,710	316-316L
TST-3R60-76.1-2.9	76.1 - 2.9	5500 - 7000	5,320	316-316L
TST-3R12-76.1-2.9	76.1 - 2.9	5500 - 7000	5,320	304-304L
TST-5R75-76.1-2.9	76.1 - 2.9	5500 - 7000	5,320	316Ti
TST-6R35-76.1-2.9	76.1 - 2.9	5500 - 7000	5,320	321
TS-4571-76.1-2.9	76.1 - 2.9	5750 +/- 5.0	5,320	316Ti
TST-3R60-76.1-3.65	76.1 - 3.65	5500 - 7000	6,620	316-316L
TST-E-3R12-76.1-3.65	76.1 - 3.65	5500 - 7000	6,620	304-304L
TST-E-3R60-76.1-3.65	76.1 - 3.65	5500 - 7000	6,620	316-316L
TST-E-6R35-76.1-4	76.1 - 4.0	5500 - 7000	7,220	321
TST-5R75-88.9-2.9	88.9 - 2.9	5500 - 7000	6,240	316Ti
TST-3R12-3-SCH10	88.9 - 3.5 (3" sch 10 S)	5500 - 7000	6,560	304-304L
TST-6R35-3-SCH10	88.9 - 3.5 (3" sch 10 S)	5500 - 7000	6,560	321
TST-316L-3-SCH10	88.9 - 3.5 (3" sch 10 S)	5500 - 7000	6,560	316-316L
TS-304L-3-10S	88.9 - 3.5 (3" sch 10 S)	5750 +/- 50	6,560	304-304L
TS-316L-3-10S	88.9 - 3.5 (3" sch 10 S)	5750 +/- 50	6,560	316-316L
TST-5R75-88.9-3.2	88.9 - 3.2	5500 - 7000	6,870	316Ti



CODE-BEZŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
TST-6R35-88.9-3.2	88.9 - 3.2	5500 - 7000	6,870	321
TS-4571-88.9-3.2	88.9 - 3.2	5750 +/- 5.0	6,870	316Ti
TST-3R60-88.9-3.6	88.9 - 3.6	5500 - 7000	7,690	316-316L
TST-6R35-88.9-3.6	88.9 - 3.6	5500 - 7000	7,690	321
TST-E-6R35-88.9-4.05	88.9 - 4.05	5500 - 7000	8,600	321
TST-E-5R75-88.9-4.05	88.9 - 4.05	5500 - 7000	8,600	316Ti
TST-E-3R12-88.9-4.05	88.9 - 4.05	5500 - 7000	8,600	304-304L
TST-E-3R60-88.9-4.05	88.9 - 4.05	5500 - 7000	8,600	316-316L
TS-4571-88.9-4.05	88.9 - 4.05	5750 +/- 5.0	8,500	316Ti
TST-E-6R35-3-SCH40	88.9 - 5.49 (3" sch 40 S)	5500 - 7000	11,470	321
TST-E-316L-3-SCH40	88.9 - 5.49 (3" sch 40 S)	5500 - 7000	11,470	316-316L
TST-E-3R12-3-SCH40	88.9 - 5.49 (3" sch 40 S)	5500 - 7000	11,470	304-304L
TS-304L-3-40S	88.9 - 5.49 (3" sch 40 S)	5750 +/- 50	11,470	304-304L
TS-316L-3-40S	88.9 - 5.49 (3" sch 40 S)	5750 +/- 50	11,470	316-316L
TST-E-6R35-3-SCH80	88.9 - 7.62 (3" sch 80 S)	5500 - 7000	15,510	321
TST-E-316L-3-SCH80	88.9 - 7.62 (3" sch 80 S)	5500 - 7000	15,510	316-316L
TST-E-3R12-3-SCH80	88.9 - 7.62 (3" sch 80 S)	5500 - 7000	15,510	304-304L
TS-304L-3-80S	88.9 - 7.62 (3" sch 80 S)	5750 +/- 50	15,510	304-304L
TS-316L-3-80S	88.9 - 7.62 (3" sch 80 S)	5750 +/- 50	15,510	316-316L
TST-E-316L-3-SCH160	88.9 - 11.13 (3" sch 160)	5500 - 7000	21,670	316-316L
TST-E-3R12-3-SCH160	88.9 - 11.13 (3" sch 160)	5500 - 7000	21,670	304-304L
TST-3R12-31/2-SCH10	101.6 - 3.5 (3 1/2" sch 10 S)	5500 - 7000	7,530	304-304L
TST-316L-31/2-SCH10	101.6 - 3.5 (3 1/2" sch 10 S)	5500 - 7000	7,530	316-316L
TST-3R60-101.6-3.6	101.6 - 3.6	5500 - 7000	8,830	316-316L
TST-3R12-101.6-3.6	101.6 - 3.6	5500 - 7000	8,830	304-304L
TST-E-6R35-31/2-SCH40	101.6 - 5.74 (3 1/2" sch 40 S)	5500 - 7000	13,780	321
TST-E-316L-31/2-SCH40	101.6 - 5.74 (3 1/2" sch 40 S)	5500 - 7000	13,780	316-316L
TST-E-3R12-31/2-SCH40	101.6 - 5.74 (3 1/2" sch 40 S)	5500 - 7000	13,780	304-304L
TST-E-316L-31/2-SCH80	101.6 - 8.8 (3 1/2" sch 80 S)	5500 - 7000	18,920	316-316L
TST-E-3R12-31/2-SCH80	101.6 - 8.8 (3 1/2" sch 80 S)	5500 - 7000	18,920	304-304L
TST-3R60-108-4	108.0 - 4.0	5500 - 7000	10,420	316-316L
TST-3R12-108-4	108.0 - 4.0	5500 - 7000	10,420	304-304L
TST-6R35-114.3-2.6	114.3 - 2.6	5500 - 7000	7,270	321
TST-3R12-4-SCH10	114.3 - 3.5 (4" sch 10 S)	5500 - 7000	8,500	304-304L
TST-316L-4-SCH10	114.3 - 3.5 (4" sch 10 S)	5500 - 7000	8,500	316-316L
TS-304L-4-10S	114.3 - 3.5 (4" sch 10 S)	5750 +/- 50	8,500	304-304L
TS-316L-4-10S	114.3 - 3.5 (4" sch 10 S)	5750 +/- 50	8,500	316-316L
TST-5R75-114.3-3.6	114.3 - 3.6	5500 - 7000	9,980	316Ti
TST-6R35-114.3-3.6	114.3 - 3.6	5500 - 7000	9,980	321
TS-4571-114.3-3.6	114.3 - 3.6	5750 +/- 5.0	9,980	316Ti
TST-E-6R35-114.3-4.5	114.3 - 4.5	5500 - 7000	12,370	321
TST-E-3R12-114.3-4.5	114.3 - 4.5	5500 - 7000	12,370	304-304L
TST-E-3R60-114.3-4.5	114.3 - 4.5	5500 - 7000	12,370	316-316L
TST-E-6R35-4-SCH40	114.3 - 6.2 (4" sch 40 S)	5500 - 7000	16,320	321
TST-E-316L-4-SCH40	114.3 - 6.2 (4" sch 40 S)	5500 - 7000	16,320	316-316L
TST-E-3R12-4-SCH40	114.3 - 6.2 (4" sch 40 S)	5500 - 7000	16,320	304-304L
TS-304L-4-40S	114.3 - 6.2 (4" sch 40 S)	5750 +/- 50	16,320	304-304L
TS-316L-4-40S	114.3 - 6.2 (4" sch 40 S)	5750 +/- 50	16,320	316-316L
TST-E-6R35-4-SCH80	114.3 - 8.56 (4" sch 80 S)	5500 - 7000	22,660	321
TST-E-316L-4-SCH80	114.3 - 8.56 (4" sch 80 S)	5500 - 7000	22,660	316-316L
TST-E-3R12-4-SCH80	114.3 - 8.56 (4" sch 80 S)	5500 - 7000	22,660	304-304L
TS-304L-4-80S	114.3 - 8.56 (4" sch 80 S)	5750 +/- 50	22,670	304-304L

CODE-BEZŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
TS-316L-4-80S	114.3 - 8.56 (4" sch 80 S)	5750 +/- 50	22,670	316-316L
TST-E-316L-4-SCH160	114.3 - 13.49 (4" sch 160)	5500 - 7000	34,050	316-316L
TST-E-3R12-4-SCH160	114.3 - 13.49 (4" sch 160)	5500 - 7000	34,050	304-304L
TST-3R60-121-4	121.0 - 4.0	5500 - 7000	11,720	316-316L
TST-3R12-133-4	133.0 - 4.0	5500 - 7000	12,920	304-304L
TST-3R60-133-4	133.0 - 4.0	5500 - 7000	12,920	316-316L
TS-304L-5-10S	141.3 - 3.4 (5" sch 10 S)	5750 +/- 50	11,740	304-304L
TS-316L-5-10S	141.3 - 3.4 (5" sch 10 S)	5750 +/- 50	11,740	316-316L
TST-E-6R35-5-SCH40	141.3 - 6.55 (5" sch 40 S)	5500 - 7000	22,100	321
TST-E-316L-5-SCH40	141.3 - 6.55 (5" sch 40 S)	5500 - 7000	22,100	316-316L
TST-E-3R12-5-SCH40	141.3 - 6.55 (5" sch 40 S)	5500 - 7000	22,100	304-304L
TS-304L-5-40S	141.3 - 6.55 (5" sch 40 S)	5750 +/- 50	22,100	304-304L
TS-316L-5-40S	141.3 - 6.55 (5" sch 40 S)	5750 +/- 50	22,100	316-316L
TST-E-316L-5-SCH80	141.3 - 9.53 (5" sch 80 S)	5500 - 7000	31,440	316-316L
TST-E-3R12-5-SCH80	141.3 - 9.53 (5" sch 80 S)	5500 - 7000	31,440	304-304L
TS-304L-5-80S	141.3 - 9.53 (5" sch 80 S)	5750 +/- 50	31,440	304-304L
TS-316L-5-80S	141.3 - 9.53 (5" sch 80 S)	5750 +/- 50	31,440	316-316L
TST-E-316L-5-SCH160	141.3 - 15.88 (5" sch 160)	5500 - 7000	49,870	316-316L
TST-E-3R12-5-SCH160	141.3 - 15.88 (5" sch 160)	5500 - 7000	49,870	304-304L
TST-3R60-159-4.5	159.0 - 4.5	5500 - 7000	17,410	316-316L
TST-3R12-6-SCH10	168.3 - 3.4 (6" sch 10 S)	5500 - 7000	14,040	304-304L
TST-316L-6-SCH10	168.3 - 3.4 (6" sch 10 S)	5500 - 7000	14,040	316-316L
TS-304L-6-10S	168.3 - 3.4 (6" sch 10 S)	5750 +/- 50	14,040	304-304L
TS-316L-6-10S	168.3 - 3.4 (6" sch 10 S)	5750 +/- 50	14,040	316-316L
TST-E-5R75-168.3-4.5	168.3 - 4.5	5500 - 7000	18,460	316Ti
TST-E-6R35-6-SCH40	168.3 - 7.11 (6" sch 10 S)	5500 - 7000	28,700	321
TST-E-316L-6-SCH40	168.3 - 7.11 (6" sch 40 S)	5500 - 7000	28,700	316-316L
TST-E-3R12-6-SCH40	168.3 - 7.11 (6" sch 40 S)	5500 - 7000	28,700	304-304L
TS-304L-6-40S	168.3 - 7.11 (6" sch 40 S)	5750 +/- 50	28,690	304-304L
TS-316L-6-40S	168.3 - 7.11 (6" sch 40 S)	5750 +/- 50	28,690	316-316L
TST-E-316L-6-SCH80	168.3 - 10.97 (6" sch 80 S)	5500 - 7000	43,220	316-316L
TST-E-3R12-6-SCH80	168.3 - 10.97 (6" sch 80 S)	5500 - 7000	43,220	304-304L
TS-304L-6-80S	168.3 - 11.0 (6" sch 80 S)	5750 +/- 50	43,210	304-304L
TS-316L-6-80S	168.3 - 11.0 (6" sch 80 S)	5750 +/- 50	43,210	316-316L
TST-E-316L-6-SCH160	168.3 - 18.26 (6" sch 160)	5500 - 7000	68,600	316-316L
TST-E-3R12-6-SCH160	168.3 - 18.26 (6" sch 160)	5500 - 7000	68,600	304-304L
TS-304L-8-10S	219.1 - 3.76 (8" sch 10 S)	5750 +/- 50	20,270	304-304L
TS-316L-8-10S	219.1 - 3.76 (8" sch 10 S)	5750 +/- 50	20,270	316-316L
TST-5R75-219.1-6.3	219.1 - 6.3	5500 - 7000	33,570	316Ti
TST-E-316L-8-SCH40	219.1 - 8.18 (8" sch 40 S)	5500 - 7000	43,200	316-316L
TST-E-3R12-8-SCH40	219.1 - 8.18 (8" sch 40 S)	5500 - 7000	43,200	304-304L
TST-316L-8-SCH40	219.1 - 8.18 (8" sch 40 S)	5500 - 7000	43,200	316-316L
TS-304L-8-40S	219.1 - 8.18 (8" sch 40 S)	5750 +/- 50	43,200	304-304L
TS-316L-8-40S	219.1 - 8.18 (8" sch 40 S)	5750 +/- 50	43,200	316-316L
TST-E-316L-8-SCH80	219.1 - 12.7 (8" sch 80 S)	5500 - 7000	65,640	316-316L
TST-E-3R12-8-SCH80	219.1 - 12.7 (8" sch 80 S)	5500 - 7000	65,640	304-304L
TS-316L-8-80S	219.1 - 12.7 (8" sch 80 S)	5750 +/- 50	65,600	316-316L
TST-E-316L-8-SCH160	219.1 - 23.1 (8" sch 160)	5500 - 7000	112,980	316-316L
TST-E-3R12-8-SCH160	219.1 - 23.1 (8" sch 160)	5500 - 7000	112,980	304-304L
TS-304L-10-10S	273.0 - 4.19 (10" sch 10 S)	5750 +/- 50	28,200	304-304L
TS-316L-10-10S	273.0 - 4.19 (10" sch 10 S)	5750 +/- 50	28,200	316-316L
TST-E-316L-10-SCH40S	273.0 - 9.27 (10" sch 40 S)	5500 - 7000	61,220	316-316L

CODE-BEŽŠAVNE CEVI	DIMENZIJA MM	DUŽINA MM	TEORETSKA TEŽINA KG/M	MATERIJAL
TST-E-304L-10-SCH40S	273.0 - 9.27 (10" sch 40 S)	5500 - 7000	61,220	304-304L
TS-304L-10-40S	273.0 - 9.27 (10" sch 40 S)	5750 +/- 50	61,220	304-304L
TS-316L-10-40S	273.0 - 9.27 (10" sch 40 S)	5750 +/- 50	61,220	316-316L
TST-E-316L-10-SCH80S	273.0 - 12.7 (10" sch 80 S)	5500 - 7000	82,780	316-316L
TST-E-304L-10-SCH80S	273.0 - 12.7 (10" sch 80 S)	5500 - 7000	82,780	304-304L
TS-316L-10-80S	273.0 - 12.7 (10" sch 80 S)	5750 +/- 50	82,800	316-316L
TS-304L-12-10S	323.9 - 4.57 (12" sch 10 S)	5750 +/- 50	36,540	304-304L
TS-316L-12-10S	323.9 - 4.57 (12" sch 10 S)	5750 +/- 50	36,540	316-316L
TST-E-304L-12-SCH40S	323.9 - 9.53 (12" sch 40 S)	5500 - 7000	75,020	304-304L
TS-304L-12-40S	323.9 - 9.53 (12" sch 40 S)	5750 +/- 50	75,020	304-304L
TS-316L-12-40S	323.9 - 9.53 (12" sch 40 S)	5750 +/- 50	75,020	316-316L
TST-E-316L-12-SCH40	323.9 - 10.31 (12" sch 40 S)	5500 - 7000	80,960	316-316L
TST-E-316L-12-SCH80S	323.9 - 12.7 (12" sch 80 S)	5500 - 7000	98,960	316-316L
TST-E-304L-12-SCH80S	323.9 - 12.7 (12" sch 80 S)	5500 - 7000	98,960	304-304L
TS-316L-12-80S	323.9 - 12.7 (12" sch 80 S)	5750 +/- 50	99,000	316-316L